

Furniture & Ceramics



The Crosswater Advantage

As bathrooms have evolved into more experiential spaces for relaxation & revitalisation, Crosswater has curated a stunning mix of colours, textures and materials across a broad range of bathroom elements, allowing you to design your own perfect bathroom space.

This is the Crosswater advantage.



Furniture for Bathrooms

Canvass	6
Vergo	14
NEW Limit	24
Glide II	36
Artist	52
Arena	58
Svelte	64
Infinity	76
MADA	86
Zion	94

Furniture for Cloakrooms

Flute	100
Alo	108

Basins

NEW Countertop	114
Cloakroom	118
Wall Mounted	122
Undermount & Inset	126
Basin Wastes	128
Overflow Covers	128
Basin & Furniture Traps	128

Toilets

Toilets	
Glide II	130
Libra	132
Kai X	134
Kai	136
Support Frames, Cisterns, Flush Plates & Surrounds	
Support Frames, Cisterns, Flush Plates & Surrounds Wall Hung Toilet Support Frames	138
, ,	138 140
Wall Hung Toilet Support Frames	

Mirrors & Cabinets

Mirrors	
Mada	148
NEW Artist	150
Glide II	152
Svelte	154
NEW Infinity	156
NEW MPRO	158
NEW Canvass	160
Dune	162
Elite	163
Mirrored Cabinets	
Image	164
Lustro	166

Lights

Tranquil Lights	168

Towel Warmers & Controls

Towel Warmers	
Limit	170
Air	172
NEW MPRO Electric	174
NEW MPRO	176
Wedge	178
Celeste	179

Towel Warmer Controls	
Valves	180
Summer Heating Elements	181

In contrast to many bathroom companies who specialise in a specific area, Crosswater can offer products for your whole bathroom, adding the ability to coordinate these elements using material colour linking to create a truly personal bathroom space.

More of the Crosswater advantage.





What's Your Style?

Whatever your style preference, Crosswater offers a wide range of contemporary and traditional bathroom ranges with matching basin mixers, bath fillers showers and accessories in to help you create your own perfect bathroom space.

































CANVASS

Our Canvass collection blends clean lines with a classic Carrara Marble effect worktop, giving a remarkable midcentury modern style with ample storage. Choose from wall mounted or add the optional angular legs to create a vanity unit.

With four wonderful colours to choose from and three handle designs in complementary finishes, you can create a unique piece for your bathroom.



Wall mounted unit p 10 Vanity unit with legs p 12

CANVASS

Product Highlights

- 1. Fully assembled
- 2. Soft close, pull to open, full extension drawers with 3 way adjustment (30kg weight capacity)
- 3. Wall hangers with 3 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 4. Choice of handle designs and finishes
- 5. Top drawer cut out for services

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.




Worktop



Legs





Handles

Supplied as a pair







CANVASS Wall Mounted Unit with Carrara Marble Effect Worktop

485

485 Double Drawer Unit

 $w\,485\,x\,d\,370\,x\,h\,455mm\,(w/\,top\,467.5mm)$

495 Worktop

w 495 x d 375 x h 12.5mm

Sage Green



CV4850SGR Unit Worktop FWT495CM

600

Unit

600 Double Drawer Unit

w 600 x d 450 x h 455mm (w/ top 467.5mm)

610 Worktop

w 610 x d 460 x h 12.5mm

700

700 Double Drawer Unit

 $w\,700\,x\,d\,450\,x\,h\,455mm\,(w/\,top\,467.5mm)$

710 Worktop

w 710 x d 460 x h 12.5mm

900

900 Double Drawer Unit

w 900 x d 450 x h 455mm (w/ top 467.5mm)

910 Worktop

w 910 x d 460 x h 12.5mm



CV7000SGR Unit Worktop IF7100TMC+



CV9000SGR Unit Worktop IF9100TMC+

Deep Indigo Blue



CV4850IB Unit Worktop FWT495CM



CV6000SGR

Worktop FWT610CM

CV6000IB Unit Worktop FWT610CM



CV7000IB Unit Worktop IF7100TMC+



CV9000IB Unit IF9100TMC+ Worktop

Storm Grey Matt



CV4850SG Worktop FWT495CM



Unit CV6000SG Worktop FWT610CM



CV7000SG Worktop IF7100TMC+



CV9000SG Worktop IF9100TMC+

White Gloss



CV4850WG Unit Worktop FWT495CM



CV6000WG Unit Worktop FWT610CM



CV7000WG Unit Worktop IF7100TMC+



CV9000WG Unit Worktop IF9100TMC+

Handle Options must be ordered separately

Please note: drawers are marked on the back, and will require drilling to fit handles.



Knurled Handle







Chrome	
--------	--

FHCLASSICC

Modern Handle

Epoxy coated aluminiun	1
------------------------	---

-py	
Sage Green	FHMODERNSGR
Deep Indigo Blue	FHMODERNIB
Storm Grey	FHMODERNSG
Brushed Bronze	FHMODERNBZ
◆ Slate	FHMODERNT
Brushed Brass	FHMODERNF
Brushed S. Steel Effect	FHMODERNV
◆ Matt Black	FHMODERNBM

FHMODERNC

Epoxy coated aluminium

Brushed Brass **FHKNURLBF** Brushed S. Steel Effect **FHKNURLBV**

FHKNURLBM Matt Black

FHKNURLC

Chrome

Trap Fittings

Chrome

Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.







CANVASS Vanity Unit with Carrara Marble Effect Worktop

485

485 Double Drawer Unit

 $w\,485\,x\,d\,370\,x\,h\,850mm\,(w/\,top\,867.5mm)$

495 Worktop

w 495 x d 375 x h 12.5mm

Sage Green



Unit CV4850SGR FWT495CM **CVLEGSSGR** Legs

600

Unit

Legs

Worktop

600 Double Drawer Unit

w 600 x d 455 x h 850mm (w/ top 867.5mm)

610 Worktop

w 610 x d 460 x h 12.5mm

700

700 Double Drawer Unit

w 700 x d 455 x h 850mm (w/ top 867.5mm)

710 Worktop

w 710 x d 460 x h 12.5mm

900

900 Double Drawer Unit

w 900 x d 455 x h 850mm (w/top 867.5mm)

910 Worktop

w 910 x d 460 x h 12.5mm



CV7000SGR Unit Worktop IF7100TMC+ **CVLEGSSGR** Legs



Unit CV9000SGR Worktop IF9100TMC+ CVLEGSSGR Legs

Deep Indigo Blue



Unit CV4850IB Worktop FWT495CM **CVLEGSIB** Legs



CV6000SGR

FWT610CM

CVLEGSSGR

Unit CV6000IB Worktop FWT610CM **CVLEGSIB** Legs



Unit CV7000IB Worktop IF7100TMC+ **CVLEGSIB** Legs



CV9000IB Worktop IF9100TMC+ **CVLEGSIB** Legs

Storm Grey Matt



Unit CV4850SG FWT495CM **CVLEGSSG** Legs



Unit CV6000SG FWT610CM CVLEGSSG Legs



Unit CV7000SG Worktop IF7100TMC+ **CVLEGSSG** Legs



Unit CV9000SG Worktop IF9100TMC+ CVLEGSSG Legs

White Gloss



CV4850WG Worktop FWT495CM **CVLEGSWG** Legs



Unit CV6000WG FWT610CM Worktop **CVLEGSWG** Legs



CV7000WG IF7100TMC+ Worktop **CVLEGSWG** Legs



CV9000WG IF9100TMC+ Worktop CVLEGSWG Legs

Handle Options must be ordered separately

Please note: drawers are marked on the back, and will require drilling to fit handles.

FHMODERNBM

FHMODERNC



Modern Handle

Matt Black


Chrome

Epoxy coated aluminium	
◆ Sage Green	FHMODERNSGR
Deep Indigo Blue	FHMODERNIB
Storm Grey	FHMODERNSG
Brushed Bronze	FHMODERNBZ
◆ Slate	FHMODERNT
Brushed Brass	FHMODERNF
Brushed S. Steel Effect	FHMODERNV



Knurled Handle

Epoxy coated aluminium





Classic Handle

Epoxy coated aluminium

FHCLASSICC Chrome

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W




Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.













VERGO

Add a new depth to your bathroom with Vergo's sensational crosshatch texture. This collection has been designed with style in mind, with finishing touches to really make this piece pop.

This extraordinary collection is available in 3 breathtaking finishes, with a wide of choice of basins or worktops making it perfect for any bathroom space.



Worktop p 18

Midnight black glass basin p 20
Ice white glass basin p 20
Cast mineral marble basin p 22
Ceramic basin p 22

VERGO

Product Highlights

- 1. Fully assembled
- 2. Soft close, pull to open, full extension Hettich drawers with 2 way adjustment (35kg weight capacity)
- 3. Wall hangers with 2 way adjustment and safety lock (100kg weight capacity when fitted to solid wall)
- 4. Crosshatch texture drawer front

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



Sage Green
Matt lacquered finish
ACTIVE antibacterial




Matt Black
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Matt White
Lacquered finish
ACTIVE antibacterial
Anti fingerprint

Basins



Midnight Black Glass Handcast low iron soda lime silicate glass Matt finish. Black overflow



Ice White Glass
Handcast low iron soda lime silicate glass
Gloss finish. Chrome overflow



Cast Mineral Marble
High gloss white antibacterial nanocoat
Chrome overflow, black option available



Ceramic
White vitreous china
Overflow colour options available

Worktops

Carrara Marble Effect

Supplied undrilled Easy clean, highly heat resistant solid surface Impenetrable to dust, dirt and bacteria

Polar White Matt

Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria

VERGO Wall Mounted Unit with Worktop



500 Single Drawer Unit

w 493 x d 450 x h 480mm (w/ basin 492mm)

500 Worktop

w 510 x d 455 x h 12.5mm

Sage Green



VG5000DSGR Unit Carrara Worktop IF5100TMC+

700

700 Single Drawer Unit

w 693 x d 450 x h 480mm (w/ basin 492mm)

700 Worktop

w 710 x d 455 x h 12.5mm



VG7000DSGR Unit Carrara Worktop IF7100TMC+

1000

1000 Single Drawer Unit

w 993 x d 450 x h 480mm (w/ basin 492mm)

1000 Worktop

w 1010 x d 455 x h 12.5mm



VG1000DSGR Unit Carrara Worktop IF1010TMC+



Unit White Worktop

VG5000DSGR IF5100TPW



VG7000DSGR Unit White Worktop IF7100TPW

VG1000DSGR Unit White Worktop IF1010TPW

Matt Black



VG5000DBM Unit Carrara Worktop IF5100TMC+



VG7000DBM Unit Carrara Worktop IF7100TMC+



VG1000DBM Unit Carrara Worktop IF1010TMC+



Unit White Worktop

VG5000DBM IF5100TPW



VG7000DBM White Worktop IF7100TPW

Unit

Unit



VG1000DBM Unit White Worktop IF1010TPW

Matt White



VG5000DWM Unit IF5100TMC+ Carrara Worktop



VG7000DWM Unit IF7100TMC+ Carrara Worktop



VG1000DWM Unit IF1010TMC+ Carrara Worktop



Unit White Worktop

VG5000DWM IF5100TPW



VG7000DWM IF7100TPW White Worktop



VG1000DWM Unit IF1010TPW White Worktop

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.

VERGO Wall Mounted Unit with Glass Basin

500

500 Single Drawer Unit

w 493 x d 450 x h 480mm (w/ basin 492mm)

500 0TH Glass Basin with Overflow

w 506 x d 450 x h 12mm

Sage Green



Unit VG5000DSGR Basin GL0510SMB 700

700 Single Drawer Unit

w 693 x d 450 x h 480mm (w/ basin 492mm)

700 0TH Glass Basin with Overflow

w 706 x d 455 x h 12mm



Unit VG7000DSGR Basin GL0710SMB 1000

1000 Single Drawer Unit

w 993 x d 450 x h 480mm (w/ basin 492mm)

1000 0TH Glass Basin with Overflow w 1006 x d 455 x h 12mm

Unit VG1000DSGR Basin GL1010SMB

Unit VG5000DSGR Basin GL0510SIW+

Unit VG7000DSGR Basin GL0710SIW+

Unit VG1000DSGR Basin GL1010SIW

Matt Black



Unit VG5000DBM Basin GL0510SMB



Unit VG7000DBM Basin GL0710SMB

Unit VG1000DBM Basin GL1010SMB

Unit VG5000DBM Basin GL0510SIW+



Unit VG7000DBM Basin GL0710SIW+

Unit VG1000DBM Basin GL1010SIW

Matt White



Unit VG5000DWM Basin GL0510SMB



Unit VG7000DWM Basin GL0710SMB

Unit VG1000DWM Basin GL1010SMB



Unit VG5000DWM Basin GL0510SIW+

Unit VG7000DWM
Basin GL0710SIW+

Unit VG1000DWM Basin GL1010SIW

Alternative Basin - 0TH Tap Hole (Ice White Basin Only)

500 0TH Glass Basin

With overflow w 506 x d 450 x h 12mm For wall mounted taps

Ice White

GL0511SIW+

700 0TH Glass Basin

With overflow w 706 x d 455 x h 12mm For wall mounted taps

Ice White

GL0711SIW+

1000 0TH Glass Basin

With overflow w 1006 x d 455 x h 12mm For wall mounted taps

Ice White GL1011SIW

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal

BTR0510W





VERGO Wall Mounted Unit with White Gloss Cast Mineral Marble or Ceramic Basin

500 Cast Mineral Marble Basin

500 Single Drawer Unit

w 493 x d 450 x h 480mm (w/ basin 493mm)

500 1TH Cast Mineral Marble Basin with Overflow w 510 x d 460 x h 13mm

Sage Green



Unit VG5000DSGR Basin FB0511SRW

Matt Black



Unit VG5000DBM Basin FB0511SRW

Matt White



Unit VG5000DWM Basin FB0511SRW

700 Cast Mineral Marble Basin

700 Single Drawer Unit

w 693 x d 450 x h 480mm (w/ basin 493mm)

700 1TH Cast Mineral Marble Basin with Overflow w 710 x d 460 x h 13mm



Unit VG7000DSGR Basin FB0711SRW



Unit VG7000DBM Basin FB0711SRW



Unit VG7000DWM Basin FB0711SRW

1000 Cast Mineral Marble Basin

1000 Single Drawer Unit

w 993 x d 450 x h 480mm (w/ basin 493mm)

1000 1TH Cast Mineral Marble Basin with Overflow w 1010 x d 460 x h 13mm



Unit VG1000DSGR Basin FB1011SRW



Unit VG1000DBM Basin FB1011SRW



Unit VG1000DWM Basin FB1011SRW

500 Ceramic Basin

500 Single Drawer Unit

w 493 x d 450 x h 480mm (w/ basin 493mm)

500 1TH White Vitreous China Basin with Overflow w 510 x d 460 x h 20mm

Sage Green



Unit VG5000DSGR Basin DE0002SCW+

700 Ceramic Basin

700 Single Drawer Unit

w 693 x d 450 x h 480mm (w/ basin 493mm)

700 1TH White Vitreous China Basin with Overflow w 710 x d 460 x h 18mm



Unit VG7000DSGR Basin DE0003SCW+

1000 Ceramic Basin

1000 Single Drawer Unit

w 993 x d 450 x h 480mm (w/ basin 493mm)

1000 1TH White Vitreous China Basin with Overflow w 1010 x d 460 x h 20mm



Unit VG1000DSGR Basin DE0004SCW+





Unit VG5000DBM Basin DE0002SCW+

Matt White



Unit VG7000DBM Basin DE0003SCW+



Unit VG7000DWM



Unit VG1000DBM Basin DE0004SCW+

Unit VG5000DWM Basin DE0002SCW+



Basin DE0003SCW+



Unit VG1000DWM Basin DE0004SCW+

Trap Fittings


Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.











LIMIT

As good inside as it looks on the outside. Limit is precision manufactured to ensure the striking 3D slats are perfectly spaced, whilst inside the high specification push to open, soft close drawers give you ample storage.

Available in Steelwood and Modern
Oak or New Royal Walnut and Warm
Stone slats with Anthracite interior, this
remarkable collection will take your
bathroom to a whole new level.



Ice white glass basin p 28 Worktop p 30

LIMIT

Product Highlights

- 1. Fully assembled
- 2. 12mm slats are precision pressed, PU bonded to the carcass
- 3. Soft close, push to open, full extension drawers with 4 way adjustment (30kg weight capacity)
- 4. Wall hangers with 3 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 5. Optional internal drawer cut out for services

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



& Anthracite
Authentic wood effect
Matching edging

Antibacterial*



Modern Oak
& Anthracite
Authentic wood effect
Matching edging
PU
Antibacterial*



Royal Walnut & Anthracite Authentic wood effect Matching edging PU Antibacterial*



Warm Stone & Anthracite Authentic wood effect Matching edging PU Antibacterial*

Basins



Ice White Glass
Handcast low iron soda lime silicate glass
Gloss finish

Worktops

All worktops are produced from 18mm thick, high density core board. The surfaces are resistant to day to day wear and tear, impact, scratching and normal household cleaning agents. All worktop tops have a factory fitted aluminium reinforcing bar on the underside.



Modern Oak
Supplied undrilled

Royal Walnut Supplied undrilled Warm Stone
Supplied undrilled

^{*} tested according toJIS Z 2801/ISO22196



LIMIT WITH ICE WHITE BASINS

500

500 Single Drawer Unit

 $w\,500\,x\,d$ 450 $x\,h$ 450mm (w/ top 475mm)

500 1TH Ice White Glass Basin

with overflow. w 506 x d 455 x h 12mm

Steelwood / Anthracite



Unit LM5000DSTAN+
Basin GL0511SIW+

600

600 Single Drawer Unit

w 600 x d 450 x h 450mm (w/ top 475mm)

600 1TH Ice White Glass Basin

with overflow. w 606 x d 455 x h 12mm



LM6000DSTAN+ GL0611SIW 700

700 Single Drawer Unit

w 700 x d 450 x h 450mm (w/ top 475mm)

700 1TH Ice White Glass Basin

with overflow. w 706 x d 455 x h 12mm



Unit LM7000DSTAN+
Basin GL0711SIW+

Modern Oak / Anthracite



Unit LM5000DMOAN+
Basin GL0511SIW+

NEW Unit Basin

NEW

Unit

Basin



LM6000DMOAN+ GL0611SIW

LM5000DMOAN+ GL0711SIW+

Royal Walnut / Anthracite



NEW Unit

Basin

LM5000DRWAN+ GL0511SIW+ NEW

Unit LM6000DRWAN+
Basin GL0611SIW

NEW

Unit

Basin

Unit

Basin

LM7000DRWAN+

GL0711SIW+

Warm Stone / Anthracite



NEW

Unit LM5000DWSAN+
Basin GL0511SIW+

NEW Unit Basin

LM6000DWSAN+ GL0611SIW **NEW** Unit

Basin

LM7000DWSAN+ GL0711SIW+

Optional Extras



Internal Drawer

The optional internal drawer is only compatible when using a worktop and counter top basin. When using an internal drawer an extended height basin tap can only be fitted behind the basin inline with waste cut out. Anthracite finish

500mm LIMITINTDRAWER50+
600mm LIMITINTDRAWER60+
700mm LIMITINTDRAWER70+

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical installation. Min height under basin: 54mm Anti-back siphoning

BTR0410W

No Tap Hole Basins

500 0TH Basin

With overflow. w 506 x d 450 x h 12mm For wall mounted taps

Ice White Glass

GL0510SIW+

600 0TH Basin

With overflow. w 606 x d 455 x h 12mm For wall mounted taps

Ice White Glass

GL0610SIW+

700 0TH Basin

With overflow. w $706 \times d455 \times h12$ mm For wall mounted taps

Ice White Glass

GL0710SIW+





Our glass basins are handcast from low iron soda lime silicate glass. Each basin conforms to EN572-9:2005 and EN 14688:2009.

Maximum water temperature 70 $^{\circ}\text{C}$



Complete Your Fully Co-ordinating Bathroom

Why not add a matching tower unit unit? See page 34 for our full range.

LIMIT WITH MATCHING WORKTOPS

500

500 Single Drawer Unit

w 500 x d 450 x h 450mm (w/ top 475mm)

500 Worktop

w 510 x d 455 x h 25mm

Steelwood / Anthracite



Unit LM5000DSTAN+ Worktop LM5100TST+



LM5000DMOAN+ Unit Worktop LM5100TMO+

Royal Walnut / Anthracite



NEW

Unit Worktop LM5100TRW+



NEW

Worktop LM5100TWS+

600

600 Single Drawer Unit

w 600 x d 450 x h 450mm (w/ top 475mm)

600 Worktop

w 605 x d 455 x h 25mm



NEW Unit

LM6000DSTAN+ LM6100TST+ Worktop

700

700 Single Drawer Unit

w 700 x d 450 x h 450mm (w/ top 475mm)

700 Worktop

w 710 x d 455 x h 25mm



Unit Worktop LM7000DSTAN+ LM7100TST+

Modern Oak / Anthracite



NEW

Unit Worktop

LM6000DMOAN+ LM6100TMO+

Unit

Worktop

LM7000DMOAN+ LM7100TMO+



LM5000DRWAN+

NEW

Unit Worktop



LM6000DRWAN+ LM6100TRW+

NEW

Unit Worktop

LM7000DRWAN+ LM7100TRW+

Warm Stone / Anthracite



LM5000DWSAN+ Unit

NEW Unit

LM6000DWSAN+ LM6100TWS+ Worktop

NEW

Unit Worktop

LM7000DWSAN+ LM7100TWS+

Optional Extras



Internal Drawer

The optional internal drawer is only compatible when using a worktop and counter top basin. When using an internal drawer an extended height basin tap can only be fitted behind the basin inline with waste cut out. Anthracite finish

500mm LIMITINTDRAWER50+ 600mm LIMITINTDRAWER60+ LIMITINTDRAWER70+

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical installation. Min height under basin: 54mm Anti-back siphoning

BTR0410W







Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.

LIMIT WITH MATCHING WORKTOPS

1000 Double Unit

500 Single Drawer Unit x2

w 500 x d 450 x h 450mm (w/ top 475mm)

1000 Worktop

w 1011 x d 453 x h 12mm

Spacer Panel

w 6 x d 438 x h 450mm

Steelwood / Anthracite



NEW

LM5000DSTAN+ Unit Unit LM5000DSTAN+ LMDDFIXPANEL+ Worktop LM1010TST+

Modern Oak / Anthracite



NEW

Unit LM5000DMOAN+ LM5000DMOAN+ Unit LMDDFIXPANEL+ Spacer Worktop LM1010TMO+

Royal Walnut / Anthracite



NEW

LM5000DRWAN+ Unit LM5000DRWAN+ Unit Spacer LMDDFIXPANEL+ Worktop LM1010TRW+

Warm Stone / Anthracite



NEW

LM5000DWSAN+ Unit Unit LM5000DWSAN+ LMDDFIXPANEL+ Spacer Worktop LM1010TWS+

1200 Double Unit

600 Single Drawer Unit x2

w 600 x d 450 x h 450mm (w/top 475mm)

1200 Worktop

w 1211 x d 453 x h 12mm

Spacer Panel w 6 x d 438 x h 450mm



NEW

LM6000DSTAN+ Unit Unit LM6000DSTAN+ Spacer LMDDFIXPANEL+ Worktop LM1210TST+



NEW

Unit LM6000DMOAN+ Unit LMDDFIXPANEL+ Spacer Worktop LM1210TMO+



LM6000DMOAN+



NEW

LM6000DRWAN+ Unit LM6000DRWAN+ Unit Spacer LMDDFIXPANEL+ Worktop LM1210TRW+



LM7000DRWAN+ Unit LM7000DRWAN+ Unit Spacer LMDDFIXPANEL+ LM1410TRW+

1400 Double Unit 700 Single Drawer Unit x2

1400 Worktop

Spacer Panel

Unit

Unit

Unit

Unit

Spacer

w 1411 x d 453 x h 12mm

w 6 x d 438 x h 450mm

w 700 x d 450 x h 450mm (w/ top 475mm)

LM7000DSTAN+

LM7000DSTAN+

Worktop LM1410TST+

LMDDFIXPANEL+

LM7000DMOAN+

LM7000DMOAN+

LMDDFIXPANEL+

Worktop LM1410TMO+



NEW

LM6000DRSAN+ Unit Unit LM6000DRSAN+ LMDDFIXPANEL+ Spacer Worktop LM1210TWS+



Unit Unit

LM7000DRSAN+ LM7000DRSAN+ LMDDFIXPANEL+ Spacer Worktop LM1410TWS+

Optional Extras



Internal Drawer

The optional internal drawer is only compatible when using a worktop and counter top basin. When using an internal drawer an extended height basin tap can only be fitted behind the basin inline with waste cut out. Anthracite finish

500mm LIMITINTDRAWER50+ 600mm LIMITINTDRAWER60+ 700mm LIMITINTDRAWER70+

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical installation. Min height under basin: 54mm Anti-back siphoning

BTR0410W





Wall Hung Tower Unit

Two doors with soft close. Reversible left/right hand opening. 5 fixed height shelves.



Steelwood

w 350 x d 350 x h 1600mm

LM3516FSTAN+



Modern Oak

w 350 x d 350 x h 1600mm

LM3516FMOAN+



Royal Walnut

w 350 x d 350 x h 1600mm

LM3516FRWAN+



Warm Stone

w 350 x d 350 x h 1600mm

LM3516FWSAN+

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical installation Min height under basin: 54mm Anti-back siphoning

BTR0410W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.











GLIDE II

Reflecting time-honoured cabinet making skills. Glide II epitomises elegant design. Classically styled with fully extendable drawers that enable easy access to the contents, each feature displays the ultimate in function.



Carrara marble effect worktop p 40
Cast mineral marble basin p 42
Midnight black glass basin p 44
Ice white glass basin p 47
Ceramic basin p 49
Wall hung tower units p 50

GLIDE II

Product Highlights

- 1. Fully assembled
- 2. Soft close, pull to open, full extension drawers with 2 way adjustment (35kg weight capacity)
- 3. Wall hangers with 2 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 4. Top drawer cut out for services

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



Nordic Oak Authentic wood effect Matching edging Antibacterial*



Steelwood Authentic wood effect Matching edging PU Antibacterial*



Windsor Oak Authentic wood effect Matching edging Antibacterial*



Matt Black Lacquered finish ACTIVE antibacterial Anti fingerprint



Storm Grey Matt Lacquered finish ACTIVE antibacterial Anti fingerprint



White Gloss Lacquered finish ACTIVE antibacterial

Basins



Midnight Black Glass Handcast low iron soda lime silicate glass Matt finish. Black overflow



Ice White Glass Handcast low iron soda lime silicate glass Gloss finish. Chrome overflow



Cast Mineral Marble High gloss white antibacterial nanocoat Overflow colour options available



Ceramic White vitreous china Overflow colour options available

Worktop

Our solid surface worktops are highly heat resistant, impenetrable to dust, dirt and bacteria making them easy to clean.



Easy clean solid surface Supplied undrilled

Optional Link Unit with push to open door

Up to 2 modular link units can be combined with any size Glide II drawer unit and Carrara Marble Effect worktop to create your perfect storage combination. See page 35 for configuration options.



Nordic Oak



Steelwood



Windsor Oak



Matt Black



Storm Grey Matt



White Gloss

^{*} tested according to JIS Z 2801/ISO22196



GLIDE II Wall Mounted Unit with Carrara Marble Effect Worktop

500

500 Double Drawer Unit

 $w\,500\,x\,d\,450\,x\,h\,520mm$ (w/ top 545mm)

500 Worktop

w 510 x d 455 x h 25mm

Nordic Oak



GL5000DNO+

Worktop GL5000TMC

600

600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 5mm)

600 Worktop

w 610 x d 455 x h 25mm

GL6000DNO+ Unit Worktop GL6100TMC

700

700 Double Drawer Unit

w 700 x d 450 x h 520mm (w/ top 545mm) 700 Worktop

w 710 x d 455 x h 25mm

Unit GL7000DNO+ Worktop GL7000TMC

1000

1000 Double Drawer Unit

w 1000 x d 450 x h 520mm (w/ top 545mm)

1000 Worktop

w 1010 x d 455 x h 25mm



Unit GL1000DNO+ GL1000TMC Worktop

Steelwood



GL5000DST+ Unit Worktop GL5000TMC

GL6000DST+ Unit Worktop GL6100TMC

GL7000DST+ Unit Worktop **GL7000TMC**

GL1000DST+ Unit Worktop GL1000TMC

Windsor Oak



GL5000DWO+ Worktop GL5000TMC

GL6000DWO+ Worktop GL6100TMC

GL7000DWO+ Worktop **GL7000TMC**

GL1000DWO+ Worktop GL1000TMC

Matt Black



GL5000DBM+ Unit Worktop GL5000TMC

GL6000DBM+ Unit Worktop GL6100TMC

GL7000DBM+ Unit Worktop GL7000TMC

GL1000DBM+ Unit GI 1000TMC Workton

Storm Grey Matt



GL5000DSG+ Worktop GL5000TMC

GL6000DSG+ Worktop GL6100TMC

GL7000DSG+ Worktop GL7000TMC

GL1000DSG+ Worktop GL1000TMC

White Gloss



GL5000DWG+ Unit Worktop GL5000TMC

GL6000DWG+ Unit Worktop GL6100TMC

GL7000DWG+ Worktop GL7000TMC

Unit

GL1000DWG+ Unit Worktop GL1000TMC

200 Push to Open Link Units

Use up to 2 door units with a drawer unit. Can be positioned left or right.



Nordic Oak GL2000FNO

Steelwood GL2000FST

Windsor Oak GL2000FWO

Matt Black GL2000FMB

Storm Grey Matt GL2000FSG

White Gloss GL2000FWG

Full Range of Worktops

When using a link unit you will need a larger worktop, select the correct size from our below options. Our worktops are highly heat resistant, impenetrable to dust, dirt and bacteria and easy to clean. Simply drill on site for basin waste and tap fittings. All worktops are 25mm thick, 455mm deep and supplied undrilled. Please see our website for more details.

510mm **GL5000TMC** 710mm **GL7000TMC** 1010mm **GL1000TMC** 610mm GL6100TMC 810mm GL8100TMC 1210mm GL1210TMC

Optional Link Unit Layouts

Glide II link units can be used in combination with our Glide II drawer units to create layouts from 700mm to 1200mm wide. Please use the below to see some examples of how to design the perfect storage solution for your bathroom space:



700 Layout

- 1 x 500 drawer unit
- 1 x link unit (left or right)
- 1 x 710mm worktop



800 Layout

- 1 x 600 drawer unit
- 1 x link unit (left or right)
- 1 x 810mm worktop



1000 Layout

- 1 x 600 drawer unit
- 2 x link units (left, right or one each side)
- 1 x 1010mm worktop



1200 Layout

- 1 x 1000 drawer unit
- 1 x link unit (left or right)
- 1 x 1210mm worktop







Modular storage to suit your needs

Glide II drawer units can be used alone or with our optional link units to create your personalised storage solution; with the wide choice of layout options it the perfect choice for any bathroom.

Glide II Carrara Marble Effect solid surface worktops are highly heat resistant, impenetrable to dust, dirt and bacteria and easy to clean. Simply drill on site for basin waste and tap fittings.

We have a wide choice of compatible basins to complete your bathroom. Please note the basin must be positioned in the centre of the drawer unit.

GLIDE II Wall Mounted Unit with White Gloss Cast Mineral Marble Basin

500

500 Double Drawer Unit

w 500 x d 450 x h 520mm (w/ basin 533mm)

500 1TH Cast Mineral Marble Basin With overflow, w 510 x d 460 x h 13mm

Nordic Oak



Unit GL5000DNO+ Basin FB0511SRW

600

600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 533mm)

600 1TH Cast Mineral Marble Basin With overflow, w 610 x d 460 x h 13mm



Unit GL6000DNO+ Basin FB0611SRW

700

700 Double Drawer Unit

w 700 x d 450 x h 520mm (w/ basin 533mm)

700 1TH Cast Mineral Marble Basin With overflow, w 710 x d 460 x h 13mm



Unit GL7000DNO+ Basin FB0711SRW

1000

1000 Double Drawer Unit

w 1000 x d 450 x h 520mm (w/ basin 533mm)

1000 1TH Cast Mineral Marble Basin With overflow, w 1010 x d 460 x h 13mm



Unit GL1000DNO+ Basin FB1011SRW

Steelwood



Unit GL5000DST+ Basin FB0511SRW

Unit GL6000DST+ Basin FB0611SRW

Unit GL7000DST+ Basin FB0711SRW

Unit GL1000DST+ Basin FB1011SRW

Windsor Oak



Unit GL5000DWO+ Basin FB0511SRW



Unit GL6000DWO+ Basin FB0611SRW



Unit GL7000DWO+ Basin FB0711SRW



Unit GL1000DWO+ Basin FB1011SRW

Matt Black



Unit GL5000DBM+ Basin FB0511SRW



Unit GL6000DBM+ Basin FB0611SRW



Unit GL7000DBM+ Basin FB0711SRW



Unit GL1000DBM+ Basin FB1011SRW

Storm Grey Matt



Unit GL5000DSG+ Basin FB0511SRW



Unit GL6000DSG+ Basin FB0611SRW

Unit GL7000DSG+ Basin FB0711SRW



Unit GL1000DSG+ Basin FB1011SRW

White Gloss



Unit GL5000DWG+ Basin FB0511SRW

Unit GL6000DWG+ Basin FB0611SRW

Unit GL7000DWG+ Basin FB0711SRW

Unit GL1000DWG+ Basin FB1011SRW

Alternative Basin - No Tap Hole

500 0TH Basin

With overflow w 500 x d 450 x h 0mm For wall mounted taps

FB0510SRW

600 0TH Basin

With overflow w 500 x d 450 x h 0mm For wall mounted taps

FB0610SRW

700 0TH Basin

With overflow w 700 x d 455 x h 0mm For wall mounted taps

FB0710SRW

With overflow w 1000 x d 455 x h 0mm For wall mounted taps

FB1010SRW

1000 0TH Basin

Trap Fittings


Furniture Basin Trap

We recommend using this trap to ensure full use of

BTR0410W

Overflow Cover

Optional upgrade, Chrome comes as standard.



 Brushed St. Steel Effect

OFCOMPV

Due to ceramic manufacturing processes all dimensions printed are approximate





Glide II cast mineral marble basins are manufactured from a mix of dolomite and elastic resin, then finished with a high gloss nanocoat. This unique material is antibacterial, easy to clean, extremely durable and impact resistant making it perfect for a bathroom.

GLIDE II Wall Mounted Unit with Midnight Black Glass Basin

500

500 Double Drawer Unit

w 500 x d 450 x h 520mm (w/ basin 532mm)

500 0TH Midnight Black Glass Basin With overflow. w 506 x d 450 x h 12mm

Nordic Oak



Unit GL5000DNO+ Basin GL0510SMB 600

600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 5mm)

600 0TH Midnight Black Glass Basin With overflow. w 606 x d 450 x h 12mm



Unit GL6000DNO+ Basin GL0610SMB 700

700 Double Drawer Unit

With overflow. w 706 x d 455 x h 12mm

Unit GL7000DNO+ Basin GL0710SMB 1000

1000 Double Drawer Unit

 $w\ 1000\ x\ d\ 450\ x\ h\ 520mm\ (w/\ basin\ 532mm)$ $1000\ 0TH\ Midnight\ Black\ Glass\ Basin\ With\ overflow.\ w\ 1006\ x\ d\ 455\ x\ h\ 12mm$

Constant

Unit GL1000DNO+ Basin GL1010SMB

Steelwood



Unit GL5000DST+ Basin GL0510SMB

Unit GL6000DST+ Basin GL0610SMB

Unit GL7000DST+
Basin GL0710SMB

Unit GL1000DST+ Basin GL1010SMB

Windsor Oak



Unit GL5000DWO+ Basin GL0510SMB

Unit GL6000DWO+ Basin GL0610SMB

Unit GL7000DWO+ Basin GL0710SMB

Unit GL1000DWO+ Basin GL1010SMB

Matt Black



Unit GL5000DBM+ Basin GL0510SMB

Unit GL6000DBM+ Basin GL0610SMB F

Unit GL7000DBM+ Basin GL0710SMB

Unit GL1000DBM+ Basin GL1010SMB

Storm Grey Matt



Unit GL5000DSG+ Basin GL0510SMB

Unit GL6000DSG+ Basin GL0610SMB

Unit GL7000DSG+ Basin GL0710SMB

Unit GL1000DSG+ Basin GL1010SMB

White Gloss



Unit GL5000DWG+ Basin GL0510SMB

Unit GL6000DWG+ Basin GL0610SMB

Unit GL7000DWG+ Basin GL0710SMB

Unit GL1000DWG+ Basin GL1010SMB

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal

BTR0510W

Overflow Cover


Optional upgrade, Matt Black comes as standard.

Brushed Brass OFCOMPF

Brushed St.
Steel Effect

OFCOMPV

Due to ceramic manufacturing processes all dimensions printed are approximate



GLIDE II Wall Mounted Unit with Ice White Glass Basin

600

600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 5mm)

600 1TH Ice White Glass Basin

With overflow, w 606 x d 450 x h 12mm

500

500 Double Drawer Unit

w 500 x d 450 x h 520mm (w/ basin 532mm)

500 1TH Ice White Glass Basin

With overflow, w 506 x d 450 x h 12mm



Unit GL5000DNO+





Basin GL0511SIW+



Unit GL5000DST+



Unit GL6000DNO+

Basin GL0611SIW

Unit GL6000DST+

700

700 Double Drawer Unit

w 700 x d 450 x h 520mm (w/ basin 532mm)

700 1TH Ice White Glass Basin

With overflow, w 706 x d 455 x h 12mm



Unit GL7000DNO+ Basin GL0711SIW+

1000

1000 Double Drawer Unit

w 1000 x d 450 x h 520mm (w/ basin 532mm)

1000 1TH Ice White Glass Basin

With overflow. w 1006 x d 455 x h 12mm



Unit GL1000DNO+ Basin GL1011SIW



Basin GL0511SIW+



Basin GL0611SIW



Unit GL7000DST+ Basin GL0711SIW+



Unit GL1000DST+ Basin GL1011SIW



Unit GL5000DWO+ Basin GL0511SIW+



Unit GL6000DWO+ Basin GL0611SIW



Unit GL7000DWO+ Basin GL0711SIW+



Unit GL1000DWO+ Basin GL1011SIW



Unit GL5000DBM+ Basin GL0511SIW+



Unit GL6000DBM+ Basin GL0611SIW



Unit GL7000DBM+ Basin GL0711SIW+



Unit GL1000DBM+ Basin GL1011SIW



Unit GL5000DSG+ Basin GL0511SIW+



Unit GL6000DSG+ Basin GL0611SIW



Unit GL7000DSG+ Basin GL0711SIW+



Unit GL1000DSG+ Basin GL1011SIW



Unit GL5000DWG+ Basin GL0511SIW+



Unit GL6000DWG+ Basin GL0611SIW



Unit GL7000DWG+ Basin GL0711SIW+



Unit GL1000DWG+ Basin GL1011SIW

Alternative Basin - No Tap Hole

500 0TH Basin

With overflow w 506 x d 450 x h 12mm For wall mounted taps

GL0510SIW+

600 0TH Basin

With overflow w 606 x d 455 x h 12mm For wall mounted taps

GL0610SIW

700 0TH Basin

With overflow w 706 x d 455 x h 12mm For wall mounted taps

GL0710SIW+

1000 0TH Basin With overflow

w 1006 x d 455 x h 12mm For wall mounted taps

GL1010SIW

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/ min flow rate. Fits 32-43mm waste pipe. 50mm water seal

BTR0510W

Optional Overflow Cover

Optional upgrade, Chrome comes as standard



Brushed St. Steel Effect

OFCOMPV

Due to ceramic manufacturing processes all dimensions printed are approximate







Glide II glass basins are handcast from low iron soda lime silicate glass. Each basin conforms to EN572-9:2005 and EN 14688:2009. Maximum water temperature 70 °C



GLIDE II Wall Mounted Unit with Ceramic Basin

500

500 Double Drawer Unit

w 500 x d 450 x h 520mm (w/ basin 540mm)

500 1TH White Vitreous China Basin With overflow, w 510 x d 460 x h 20mm

With overflow, w 510:

Nordic Oak



Unit GL5000DNO+ Basin DE0002SCW+

600

600 Double Drawer Unit

w 600 x d 450 x h 520mm (w/ basin 5mm)

600 1TH White Vitreous China Basin With overflow, w 610 x d 460 x h 20mm



Unit GL6000DNO+ Basin DE0005SCW+

700

700 Double Drawer Unit

w 700 x d 450 x h 520mm (w/ basin 540mm)

700 1TH White Vitreous China Basin With overflow, w 710 x d 460 x h 18mm



Unit GL7000DNO+ Basin DE0003SCW+

1000

1000 Double Drawer Unit

w 1000 x d 450 x h 520mm (w/ basin 540mm)

1000 1TH White Vitreous China Basin With overflow, w 1010 x d 460 x h 20mm



Unit GL1000DNO+ Basin DE0004SCW+





Unit GL5000DST+
Basin DE0002SCW+



Unit GL6000DST+
Basin DE0005SCW+



Unit GL7000DST+
Basin DE0003SCW+



Unit GL1000DST+
Basin DE0004SCW+





Unit GL5000DWO+
Basin DE0002SCW+



Unit GL6000DWO+ Basin DE0005SCW+



Unit GL7000DWO+
Basin DE0003SCW+



Unit GL1000DWO+ Basin DE0004SCW+





Unit GL5000DBM+ Basin DE0002SCW+



Unit GL6000DBM+ Basin DE0005SCW+



Unit GL7000DBM+ Basin DE0003SCW+



Unit GL1000DBM+
Basin DE0004SCW+



Unit GL5000DSG+
Basin DE0002SCW+



Unit GL6000DSG+ Basin DE0005SCW+



Unit GL7000DSG+
Basin DE0003SCW+



Unit GL1000DSG+ Basin DE0004SCW+





Unit GL5000DWG+ Basin DE0002SCW+



Unit GL6000DWG+ Basin DE0005SCW+



Unit GL7000DWG+
Basin DE0003SCW+



Unit GL1000DWG+ Basin DE0004SCW+

Alternative Basin - 3 Tap Hole



With overflow w 506 x d 450 x h 12mm For wall mounted taps

DE0513SCW+



With overflow w 606 x d 455 x h 12mm For wall mounted taps

DE0613SCW+



With overflow w 706 x d 455 x h 12mm For wall mounted taps **DE0713SCW+**



With overflow w 1006 x d 455 x h 12mm For wall mounted taps

DE1003SCW+

Chrome OVFLOWC ◆ Matt Black OVFLOWMB ◆ Brushed Brass OVFLOWF

Brushed SS Effect OVFLOWV

Optional Overflow Cover

Due to ceramic manufacturing processes all dimensions printed are approximate.







Glide II Ceramic Basins sit flush to the drawer with a useful area to the side for storing your bathroom essentials. Add an optional overflow cover to match your brassware for a fully cohesive look.

Wall Hung Tower Unit

Two doors with soft close. Reversible left/right hand opening. 5 fixed height shelves.



Nordic Oak

w 350 x d 350 x h 1600mm

GL3516FNO+



Steelwood

w 350 x d 350 x h 1600mm

GL3516FST+



Windsor Oak

w 350 x d 350 x h 1600mm

GL3516FWO+



Matt Black

w 350 x d 350 x h 1600mm GL3516FBM+

w 350 x d 350 x h 1600mm



Storm Grey Matt

GL3516FSG+



White Gloss

w 350 x d 350 x h 1600mm

GL3516FWG+

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical installation Min height under basin: 54mm Anti-back siphoning

BTR0410W



Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.













ARTIST®

The stunning Artist collection is a perfect blend of form and function which makes high-end furniture for bathrooms more accessible.

Featuring a signature solid oak worktop Artist is truly differentiated. Its fusion of softer, more human styling, textures, colours and natural materials cross typical boundaries.

Depending on brassware selection, it can easily be the centrepiece of a modern, contemporary or classic bathroom space.



Wall mounted unit p 56 Vanity unit with legs p 56

ARTIST®

Product Highlights

- 1. Fully assembled wall hung unit, with optional legs for wall hung floor standing solution
- 2. Beautiful shaped drawer front and legs with hand finished solid wood worktop
- 3. Handleless, soft close, pull to open, full extension drawers with 4 way adjustment (40kg weight capacity)
- 4. Wall hangers with 2 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)

Finishes



Onyx Black
Lacquered finish
PU
Antibacterial
Anti fingerprint & scratch



Cashmere Matt

Lacquered finish

ACTIVE antibacterial

Anti fingerprint



Storm Grey Matt

Lacquered finish

ACTIVE antibacterial

Anti fingerprint

Worktop



Solid Oak
Hand selected and finished
FSC* solid oak block construction
Anti UV, antibacterial matt varnish

Legs

With height adjustable feet



Onyx Black



Cashmere Matt



Storm Grey Matt

Drawer Organisers



2 Section
Windsor oak laminate
construction

Artist solid wood worktops are produced from sustainable sources with a specially formulated anti-UV varnish to protect the wood and prevent the wood from fading.

The unique nature of real wood means there will always be variance in tone, grain and colour appearance, this is just part of the enduring beauty of real wood.

ARTIST® Vanity Unit with Solid Oak Worktop

1000

1000 Single Drawer Vanity Unit

w 1000 x d 500 x h 850mm (w/ top 870mm)

1000 Solid Sessile Oak Worktop w 1010 x d 505 x h 20mm

Onyx Black



Unit ART1000DOB
Worktop ART1010TOAK

Cashmere Matt



Unit ART1000DCM
Worktop ART1010TOAK

Storm Grey Matt



Unit ART1000DSG Worktop ART1010TOAK

1000 with Matching Legs

1000 Single Drawer Vanity Unit w 1000 x d 500 x h 850mm (w/ top 870mm)

1000 Solid Sessile Oak Worktop w 1010 x d 505 x h 20mm



Unit ART1000DOB Worktop ART1010TOAK Legs ARTLEGSOB



Unit ART1000DCM Worktop ART1010TOAK Legs ARTLEGSCM



Unit ART1000DSG Worktop ART1010TOAK Legs ARTLEGSSG

Drawer Organisers must be ordered separately



2 Section

Windsor oak finish w 300 x d 380 x h 145mm Simply lay in drawer to install

ARTORG2

Trap Fittings



Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W





All Artist drawers are lined with a windsor oak finish that perfectly matches the optional drawer organisers. These both complement the solid oak worktop and beech leg option.











ARENA

Arena uses state of the art manufacturing technology and the essential elements of traditional Scandinavian design to deliver a furniture range that excels in both form and function with a focus on slender space saving proportions, ample storage and clean simple lines.

With a choice of Vanity or Console units this range is perfect for any bathroom.



Console with basin p 62

ARENA

Product Highlights

- 1. Soft close, pull to open, full extension drawers with 2 way adjustment (30kg weight capacity)
- 2. Plywood style decor drawer edging, hand finished using PU adhesives
- 3. Wall hangers with 3 way adjustment and safety lock (180kg weight capacity when fitted to solid wall)
- 4. Drawer cut out for services

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



Handles



Basin



ARENA Wall Mounted Console Unit with Fine Fire Clay Basin

600

600 Single Drawer Console Unit w 605 x d 375 x h 320mm (w/ basin 355mm)

650 1TH Basin with Overflow

w 650 x d 375/402 x h 35mm



Unit AN6032DST+
Basin AN0611SCW

1000 LH

1000 Single Drawer Console Unit

w 1054 x d 375 x h 320mm (w/ basin 355mm)

1100 1TH Basin with Overflow LH w 1100 x d 375/402 x h 35mm



Unit AN10032DST+
Basin AN1011SCW_LH

1000 RH

1000 Single Drawer Console Unit

w 1054 x d 375 x h 320mm (w/ basin 355mm) 1100 1TH Basin with Overflow RH

w 1100 x d 375/402 x h 35mm



Unit AN10032DST+
Basin AN1011SCW_RH

Modern Oak



Unit AN6032DMO Basin AN0611SCW



Unit AN10032DMO
Basin AN1011SCW_LH



Unit AN10032DMO
Basin AN1011SCW_RH

Optional Overflow Cover



Chrome Chrome plated brass

OVFLOWC



Matt Black

Epoxy coated steel

OVFLOWMB



Brushed Brass

PVD brass

OVFLOWF



Brushed Stainless Steel Effect

PVD brass

OVFLOWV

Handle Options must be ordered separately

Please note: drawer fronts are pilot drilled for our handles.



Chrome plated aluminium

IF_HANDLEC



Matt Black

Epoxy coated aluminium





Brushed Brass

Anodised aluminium

IF HANDLEF+



Brushed Stainless Steel Effect

Anodised aluminium

IF_HANDLEV



Anodised aluminium

IF_HANDLEBZ



Slate

Anodised aluminium

IF_HANDLET

Alternative Basin - No Tap Hole

650 Basin with Overflow

w 650 x d 375/402 x h 35mm

AN0610SCW

Required Basin Waste

Ceramic Click Clack Basin Waste

Gloss white ceramic to match basin This waste is required for all Arena basins

BSW0103GW+

1100 Basin with Overflow RH

w 1100 x d 375/402 x h 35mm

AN1010SCW_RH

Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal

BTR0510W

Due to ceramic manufacturing processes all dimensions printed are approximate.

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.





All Arena furniture units have been designed with the details in mind, the plywood style decor edging and classic birchwood drawer finish adds a touch of luxury to any bathroom.











SVELTE

Combining handcrafted sweeping curves, elegant finishes and handleless design.

Our Svelte furniture is a sleek, beautifully versatile range that will suit any bathroom no matter your layout.



Calcutta marble effect basin p 68 Midnight black glass basin p 70 Ice white glass basin p 72 Cast mineral marble basin p 74

SVELTE

Product Highlights

- 1. Fully assembled
- 2. 18mm carcasses and handcrafted drawer fronts
- 3. Soft close, pull to open, full extension drawers with 2 way adjustment (30kg weight capacity)
- 4. Wall hangers with 2 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 5. Top drawer cut out for services

Finishes

 $All\ Crosswater\ real\ wood\ veneer\ finishes\ are\ produced\ from\ sustainable\ forestry\ projects.\ 85\%\ of\ the\ boards\ are\ produced\ from\ recyclable\ materials.$



Onyx Black
Lacquered finish
PU
Antibacterial
Anti fingerprint & scratch



Castilla Oak
Real wood veneer
Matching edging
PU



American Walnut
Real wood veneer
Matching edging
PU



Grey Ash
Real wood veneer
Matching edging
PU



Storm Grey Matt

Lacquered finish

ACTIVE antibacterial

Anti fingerprint



White Gloss
Lacquered finish
ACTIVE antibacterial

Basins



Calcutta Marble Effect
Easy clean solid surface
Worktop with seamless under mount basin



Midnight Black Glass Handcast from low iron soda silicate glass External overflow with black cover



Ice White Glass
Handcast from low iron soda silicate glass
External overflow with chrome cover



Cast Mineral Marble
High gloss white nanocoat
Overflow colour options available

SVELTE Wall Mounted Unit with Calcutta Marble Effect Basin

600

600 Double Drawer Unit

w 595 x d 453 x h 520mm (w/ basin 540mm)

600 0TH Calcutta Marble Effect Basin

w 606 x d 458 x h 12mm

Onyx Black



Unit SE6000DOB
Basin SE0610UMSCM

x Black



Unit SE8000DOB
Basin SE0810UMSCM

800 Double Drawer Unit

w 806 x d 450 x h 12mm

w 795 x d 447 x h 520mm (w/ basin 540mm)

800 0TH Calcutta Marble Effect Basin

800

1000

1000 Double Drawer Unit

w 1000 x d 460 x h 520mm (w/ basin 540mm)

1000 0TH Calcutta Marble Effect Basin w 1006 x d 471/411 x h 12mm



Unit SE1000SDOB+
Basin SE1010UMSCM

Castilla Oak



Unit SE6000DCO
Basin SE0610UMSCM



Unit SE8000DCO
Basin SE0810UMSCM



Unit SE1000SDCO+
Basin SE1010UMSCM

American Walnut



Unit SE6000DAW
Basin SE0610UMSCM



Unit SE8000DAW
Basin SE0810UMSCM



Unit SE1000SDAW+
Basin SE1010UMSCM

Grey Ash



Unit SE6000DGA
Basin SE0610UMSCM



Unit SE8000DGA
Basin SE0810UMSCM



Unit SE1000SDGA+
Basin SE1010UMSCM

Storm Grey Matt



Unit SE6000DSG
Basin SE0610UMSCM



Unit SE8000DSG
Basin SE0810UMSCM



Unit SE1000SDSG+
Basin SE1010UMSCM

White Gloss



Unit SE6000DWG
Basin SE0610UMSCM

Unit SE8000DWG
Basin SE0810UMSCM



Unit SE1000SDWG+
Basin SE1010UMSCM

Trap Fittings

Furniture Basin Trap

We recommend using this trap to ensure full use of drawers

BTR0410W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.





SVELTE Wall Mounted Unit with Midnight Black Glass Basin

600

600 Double Drawer Unit

w 595 x d 453 x h 520mm (w/ basin 540mm)

600 1TH Midnight Black Glass Basin with Overflow w 600 x d 457 x h 20mm

Onyx Black



Unit SE6000DOB
Basin SE0611SMB

800

800 Double Drawer Unit

w 795 x d 447 x h 520mm (w/ basin 540mm)

800 1TH Midnight Black Glass Basin with Overflow w $800 \times d$ $457 \times h$ 20 mm



Unit SE8000DOB
Basin SE0811SMB

1000

1000 Double Drawer Unit

w 1000 x d 460 x h 520mm (w/ basin 540mm)

1000 1TH Midnight Black Glass Basin with Overflow w 1010 x d 471/415 x h 20mm



Unit SE1000SDOB+ Basin SE1011SMB

Castilla Oak



Unit SE6000DCO
Basin SE0611SMB

Unit SE8000DCO
Basin SE0811SMB

Unit SE1000SDCO+ Basin SE1011SMB

American Walnut



Unit SE6000DAW Basin SE0611SMB

Unit SE8000DAW
Basin SE0811SMB

Unit SE1000SDAW+ Basin SE1011SMB

Grey Ash



Unit SE6000DGA
Basin SE0611SMB

Unit SE8000DGA
Basin SE0811SMB

Unit SE1000SDGA+ Basin SE1011SMB

Storm Grey Matt



Unit SE6000DSG Basin SE0611SMB

Unit SE8000DSG
Basin SE0811SMB

Unit SE1000SDSG+ Basin SE1011SMB

White Gloss



Unit SE6000DWG
Basin SE0611SMB

Unit SE8000DWG Basin SE0811SMB

Unit SE1000SDWG+ Basin SE1011SMB

Trap Fittings

Furniture Basin Trap

We recommend using this trap to ensure full use of drawers

BTR0410W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.





SVELTE Wall Mounted Unit with Ice White Glass Basin

600

600 Double Drawer Unit

w 595 x d 453 x h 520mm (w/ basin 540mm)

600 1TH Ice White Glass Basin with Overflow

w 600 x d 457 x h 20mm

Onyx Black



Basin SE0611SICE

Unit **SE6000DOB**

Castilla Oak



Unit SE6000DCO Basin SE0611SICE

American Walnut



Unit SE6000DAW Basin SE0611SICE

Grey Ash



Unit SE6000DGA Basin SE0611SICE

Storm Grey Matt



Unit SE6000DSG Basin SE0611SICE

White Gloss



Unit **SE6000DWG** Basin SE0611SICE

800

800 Double Drawer Unit

w 795 x d 447 x h 520mm (w/ basin 540mm)

800 1TH Ice White Glass Basin with Overflow w 800 x d 457 x h 20mm



SE8000DOB Basin SE0811SICE

Unit SE8000DCO Basin SE0811SICE



Unit SE8000DAW Basin SE0811SICE



Unit SE8000DGA Basin SE0811SICE



Unit SE8000DSG Basin SE0811SICE



SE8000DWG Basin SE0811SICE 1000

1000 Double Drawer Unit

w 1000 x d 460 x h 520mm (w/ basin 540mm)

1000 1TH Ice White Glass Basin with Overflow w 1010 x d 471/415 x h 20mm



SE1000SDOB+ Basin SE1011SSICE



Unit SE1000SDCO+ Basin SE1011SSICE



Unit SE1000SDAW+ Basin SE1011SSICE



Unit SE1000SDGA+ Basin SE1011SSICE



Unit SE1000SDSG+ Basin SE1011SSICE



SE1000SDWG+ Basin SE1011SSICE

Trap Fittings

Furniture Basin Trap

We recommend using this trap to ensure full use of drawers

BTR0410W

Optional Overflow Cover

Optional upgrade, Chrome comes as standard.

♦ Matt Black SEFLOWMB OFCOMPF Brushed Brass Brushed St. Steel Effect **OFCOMPV**

Due to ceramic manufacturing processes all dimensions printed are approximate.





Real wood veneer

All our real wood veneer finishes are book matched and produced from sustainable sources. The characteristic nature of natural veneers means there will be variance in tone, grain and colour, this is just part of the enduring beauty of wood veneer furniture.

When ordering more than one unit we recommend taking delivery of products at the same time.



Glass basins

Our glass basins are handcast from low iron soda lime silicate glass.

Each basin is impervious and conforms to EN572-9:2005 and EN 14688:2009. Maximum water temperature 70 $^{\circ}\text{C}.$

They are supplied with a chrome overflow ring as standard, we also have an optional Matt Black overflow ring available.

SVELTE Wall Mounted Unit with White Gloss Cast Mineral Marble Basin

600

600 Double Drawer Unit

w 595 x d 453 x h 520mm (w/ basin 540mm)

600 1TH Cast Mineral Marble Basin with Overflow w 600 x d 457 x h 20mm

Onyx Black

Unit SE6000DOB



Basin SE0611SRW+

Castilla Oak



Unit SE6000DCO
Basin SE0611SRW+

American Walnut



Unit SE6000DAW
Basin SE0611SRW+

Grey Ash



Unit SE6000DGA
Basin SE0611SRW+

Storm Grey Matt



Unit SE6000DSG
Basin SE0611SRW+

White Gloss



Unit SE6000DWG
Basin SE0611SRW+

800

800 Double Drawer Unit

w 795 x d 447 x h 520mm (w/ basin 540mm)

800 1TH Cast Mineral Marble Basin with Overflow w 800 x d 450 x h 20mm



Unit SE8000DOB
Basin SE0811SRW+

Unit SE8000DCO
Basin SE0811SRW+



Unit SE8000DAW
Basin SE0811SRW+

Unit SE8000DGA
Basin SE0811SRW+



Unit SE8000DSG
Basin SE0811SRW+

Unit SE8000DWG
Basin SE0811SRW+

1000

1000 Double Drawer Unit

w 1000 x d 460 x h 520mm (w/ basin 540mm)

1000 1TH Cast Mineral Marble Basin with Overflow w 1006 x d 471/415 x h 20mm



Unit SE1000SDOB+
Basin SE1011SSRW+2



Unit SE1000SDCO+
Basin SE1011SSRW+2



Unit SE1000SDAW+
Basin SE1011SSRW+2



Unit SE1000SDGA+
Basin SE1011SSRW+2



Unit SE1000SDSG+
Basin SE1011SSRW+2



Unit SE1000SDWG+
Basin SE1011SSRW+2

Trap Fittings

Furniture Basin Trap

We recommend using this trap to ensure full use of drawers

BTR0410W

Optional Overflow Cover

Optional upgrade, Chrome comes as standard.

◆ Matt Black
 ◆ Brushed Brass
 ◆ Brushed St. Steel Effect
 OFCOMPV

Fully Co-ordinate Your Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.

Due to ceramic manufacturing processes all dimensions printed are approximate.









INFINITY

Taking bathroom furniture to another level. Infinity is simplicity in its finest form. A smart, modular wall hung storage furniture collection that allows you to specify layouts from 500 to 1400mm wide to create your perfect unit.



Modular units p 82 Handles and finishing touches p 84

INFINITY

Product Highlights

- 1. Fully assembled
- 2. Soft close, pull to open, full extension drawers with 4 way adjustment (40kg weight capacity)
- 3. Wall hangers with 2 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 4. Easy to design and fit modular system

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



Matt White
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Windsor Oak
Authentic wood effect
Matching edging
PU
Antibacterial*



Matt Black
Lacquered finish
ACTIVE antibacterial
Anti fingerprint



Storm Grey Matt

Lacquered finish

ACTIVE antibacterial

Anti fingerprint



White Gloss
Lacquered finish
ACTIVE antibacterial

Basin/Worktops



Polar White
Supplied undrilled
Easy clean solid surface
Worktop with integrated under mount basin

Carrara Marble Effect

Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria

Polar White Matt

Supplied undrilled
Easy clean, highly heat resistant solid surface
Impenetrable to dust, dirt and bacteria

Handles



Bar Choice of six finishes







^{*} tested according toJIS Z 2801/ISO22196

INFINITY Made Easy

Infinity modular units can be used to design your personalised storage solution; with our drawer units, shelving units and worktops the layout options are almost infinite.

Choose your layout

Infinity drawer and shelving units can be used in combination to create layouts from 500mm to 1400mm wide. Please use the below to select your ideal layout:



500 Layout

- · 1 x drawer unit
- 1 x 510mm worktop
- 1 x handle



1200 Layout

- 2 x drawer units
- 1 x shelving unit (position left, right or centre of drawers)
- 1 x 1210mm worktop
- 2 x handles



700 Layout

- 1 x drawer unit
- 1 x shelving unit (left or right)
- 1 x 710mm worktop
- 1 x handle



900 Layout

- 1 x drawer unit
- · 2 x shelving units
- 1 x 910mm worktop
- 1 x handle



1000 Layout

- · 2 x drawer units
- 1 x 1010mm worktop
- · 2 x handles



1400 Layout

- 2 x drawer units
- 2 x shelving units
- 1 x 1410mm worktop
- 2 x handles



Customise to suit your style

Infinity is available in a range of finishes, making it the perfect choice for any style bathroom. Keep all the units in one colour for a cohesive look or mix and match for a bolder look.

1. Select your base units





Matt Black



Storm Grey Matt





Windsor Oak

2. Select your top



Basin

3. Pick your handle











Slate

INFINITY Modular Units

500 Drawer Units



White Matt

w 500 x d 450 x h 450mm

IF5000DWM



White Matt

w 500 x d 450 x h 450mm

IF5000DFRWM



Matt Black

w 500 x d 450 x h 450mm

IF5000DBM



Matt Black

w 500 x d 450 x h 450mm

IF5000DFRBM



Storm Grey Matt

w 500 x d 450 x h 450mm

IF5000DSG



Storm Grey Matt

w 500 x d 450 x h 450mm

IF5000DFRSG



White Gloss

w 500 x d 450 x h 450mm

IF5000DWG



Windsor Oak

w 500 x d 450 x h 450mm

IF5000DWO



White Gloss

w 500 x d 450 x h 450mm

IF5000DFRWG

200 Shelving Units



White Matt

w 200 x d 450 x h 450mm

IF2052WM



Matt Black

w 200 x d 450 x h 450mm

IF2052BM



Storm Grey Matt

w 200 x d 450 x h 450mm

IF2052SG



White Gloss

w 200 x d 450 x h 450mm

IF2052WG



Windsor Oak

w 200 x d 450 x h 450mm

IF2052WO

Basins Supplied undrilled. No overflow



500

w 510 x d 455 x h 15mm

IF500SPW



700

w 710 x d 455 x h 15mm

Left Hand IF700SPW_LH Right Hand IF700SPW_RH



900

w 910 x d 455 x h 15mm

IF900SPW





Double

w 1010 x d 455 x h 15mm

Left Hand IF1000SPW_LH Right Hand IF1000SPW_RH

IF1000SPW

1200

w 1210 x d 455 x h 15mm

Left Hand IF1200SPW_LH Right Hand IF1200SPW_RH Double IF12000SPW

1400

w 910 x d 455 x h 15mm

IF14000SPW

Worktops



Polar White

d 455 x h 12.5mm 510mm IF5100TPW IF7100TPW 710mm 910mm IF9100TPW 1010mm **IF1010TPW** 1210mm **IF1210TPW** 1410mm **IF14100TPW**









INFINITY Handles and Finishing Touches







Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W

Chrome

OVFLOWC

Chrome plated brass

Optional Extras



Anthracite Internal Drawer

When using the internal drawer an extended height basin tap can only be fitted behind the basin inline with waste cut out

IF5000INT

Basin Wastes



Ceramic Basin Click Clack Waste

Slotted waste Standard White

BSW0103GW+



Ceramic Basin Click Clack Waste

Unslotted waste Standard White

BSW0101GW+

Optional Overflow Cover





Matt Black
Epoxy coated steel

OVFLOWMB



Brushed Brass

PVD brass

OVFLOWF



Brushed Stainless Steel Effect

PVD brass

OVFLOWV

Complete Your Fully Co-ordinating Bathroom









MADA

Our Mada collection is inspired by iconic Japanese architecture, with superb straight lines, an integrated handle cut out and wooden details. Choose from a drawer unit or add the optional shelving unit to boost your storage.

With four stunning colours to choose from and optional shelving units in matching finishes, you can create on-trend storage for your bathroom.



Mineral marble basin p 90 Carrara marble effect worktop p 92

MADA

Product Highlights

- 1. Fully assembled drawer unit
- 2. Pull to open, full extension drawers with 2 way adjustment (30kg weight capacity)
- 3. Wall hangers with 3 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 4. Optional shelving unit for extra storage
- 5. Top drawer cut out for services

Finishes



Soft Clay
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Deep Indigo Blue

Matt lacquered finish

ACTIVE antibacterial

Anti fingerprint



Sage Green
Matt lacquered finish
ACTIVE antibacterial
Anti fingerprint



Matt White
Lacquered finish
ACTIVE antibacterial
Anti fingerprint

Basin/Worktops



Cast Mineral Marble
High gloss white antibacterial nanocoat
Overflow colour options available



Supplied undrilled Easy clean, highly heat resistant solid surface Impenetrable to dust, dirt and bacteria

Optional Shelving Unit

Oak effect shelf with metal frame in finishes that match the drawer units



Soft Clay



Deep Indigo Blue




Sage Green



Matt White

MADA Wall Mounted Unit with Cast Mineral Marble Basin



Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal

BTR0510W

Complete Your Fully Co-ordinating Bathroom








MADA Wall Mounted Unit with Marble Effect Worktop

500 600 500 Single Drawer Unit 600 Single Drawer Unit w 500 x d 360 x h 360mm w 600 x d 360 x h 360mm 500 Marble Effect Worktop 600 Marble Effect Worktop w 500 x d 360 x h 12mm w 600 x d 360 x h 12mm Soft Clay NEW NEW MASOCODSC MAGOOODSC Unit Unit Worktop MA500TMC Worktop MA600TMC Indigo Blue NEW NEW MA5000DIB Unit Unit Worktop MA500TMC Sage Green



700

Unit

700 Single Drawer Unit

700 Marble Effect Worktop

MA7000DSC

Worktop MA700TMC

w 700 x d 360 x h 360mm

w 700 x d 360 x h 12mm













ZION

Sleek handleless styling in classic finishes with full depth, full extension drawers. Zion combines a deep basin and on trend styling to bring you the ultimate vanity unit for the bathroom.



Ceramic basin p 98

ZION

Product Highlights

- 1. Fully assembled floor standing
- 2. Handleless, soft close, pull to open, full extension drawers with 4 way adjustment (40kg weight capacity)
- 3. Height adjustable feet
- 4. Top drawer cut out for services

Finishes



Windsor Oak
Authentic wood effect
Matching edging
Antibacterial*



Storm Grey Matt

Lacquered finish

ACTIVE antibacterial

Anti fingerprint



White Gloss
Lacquered finish
ACTIVE antibacterial

Basin



Ceramic
Fine fire clay
Overflow colour options available



ZION Floor Standing with White Fine Fire Clay Basin



600 Double Drawer Unit

w 600 x d 368 x h 795mm (w/ basin 870mm)

600 1TH Basin with Overflow

w 610 x d 370/400 x h 75mm



Unit **ZI6000DWO+**Basin **ZI0611SCW**

700

700 Double Drawer Unit

w 700 x d 368 x h 795mm (w/ basin 870mm)

700 1TH Basin with Overflow

w 710 x d 370/400 x h 75mm



Unit ZI7000DWO+ Basin ZI0711SCW

White Gloss



Unit ZI6000DWG+ Basin ZI0611SCW



Unit **ZI7000DWG+**Basin **ZI0711SCW**





Unit ZI6000DSG+ Basin ZI0611SCW



Unit ZI7000DSG+ Basin ZI0711SCW

Trap Fittings

We recommend this for full use of drawers




Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal Conforms to BS EN 274-1:2002

BTR0510W

Optional Overflow Cover



◆ Brushed Brass◆ Brushed S. Steel EffectOVFLOWV













Our compact Flute furniture has been specifically designed for cloakrooms. The striking slated front in a choice of Navarra Oak or Windsor Oak, combined with our splendid basin options, will make an impact in any cloakroom.

Choose from our floor standing unit or wall hung drawer unit to add a touch of class to your cloakroom.



Floor standing p 104 Wall hung p 106

Product Highlights

- 1. Fully assembled
- 2. Floor standing units include a height adjustable shelf and height adjustable feet
- 3. Drawer units feature soft close, push to open, full extension drawers with 3 way adjustment (35kg weight capacity)
- 4. Wall hangers with 3 way adjustment and safety lock (100kg weight capacity when fitted to solid wall)

Finishes

All our finishes are designed to be visually striking whilst offering high levels of durability. They are manufactured from 80% renewable sources.



Navarra Oak
Authentic wood effect
Matching edging
PU
Antibacterial*



Windsor Oak
Authentic wood effect
Matching edging
PU
Antibacterial*

Basins



Midnight Black Glass
Handcast low iron soda lime silicate glass
Matt finish



Ice White Glass Handcast low iron soda lime silicate glass Gloss finish



Ceramic
White vitreous china
Overflow colour options available

Floor Standing Unit

Single Door Unit

 $w\,475\,x\,d\,355\,x\,h\,795mm\,(w/\,top\,807mm)$

1TH Midnight Black Glass Basin

w 485 x d 360 x h 12mm

Navarra Oak



Unit FL4950FNO-FS
Basin FL04951SMB

Single Door Unit

 $w\,475\,x\,d\,355\,x\,h\,795mm\,(w/\,top\,807mm)$

1TH Ice White Glass Basin

w 485 x d 360 x h 12mm



Unit FL4950FNO-FS
Basin FL04951SIW

Single Door Unit

w 475 x d 355 x h 795mm (w/ top 815mm)

1TH White Vitreous China Basin with Overflow $w 500 \times d 360 \times h 18 mm$



Unit FL4950FNO-FS
Basin FL04951SCW

Windsor Oak



Unit FL4950FWO-FS
Basin FL04951SMB



Unit FL4950FWO-FS
Basin FL04951SIW



Unit FL4950FWO-FS
Basin FL04951SCW

Optional Overflow Cover Compatible with ceramic basins only



Chrome

Chrome plated brass

OVFLOWC

Matt Black

OVFLOWMB

Epoxy coated steel

0

Brushed Brass

PVD brass

OVFLOWF

(3)

Brushed Stainless Steel Effect

PVD brass

OVFLOWV

Alternative Basin - No Tap Hole

470 0TH Midnight Black Glass Basin

No overflow w 510 x d 390 x h 12mm For wall mounted taps

FL04950SMB

470 0TH Ice White Glass Basin

No overflow w 510 x d 390 x h 12mm For wall mounted taps

FL04950SIW

Trap FittingsShort Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm water seal

BTR0510W

Our glass basins are handcast from low iron soda lime silicate glass. Each basin conforms to EN572-9:2005 and EN 14688:2009.

Maximum water temperature 70 °C

Complete Your Fully Co-ordinating Cloakroom







Wall Hung Drawer Unit

Single Drawer Unit

 $w\,475\,x\,d\,355\,x\,h\,480mm\,(w/\,top\,492mm)$

1TH Midnight Black Glass Basin

w 485 x d 360 x h 12mm

Navarra Oak



Unit FL4950DNO
Basin FL04951SMB

Single Drawer Unit

 $w\,470\,x\,d\,355\,x\,h\,480mm\,(w/\,top\,492mm)$

1TH Ice White Glass Basin

w 485 x d 360 x h 12mm



Unit FL4950DNO
Basin FL04951SIW

Single Drawer Unit

 $w\,470\,x\,d\,355\,x\,h\,480mm\,(w/\,top\,500mm)$

1TH White Vitreous China Basin with Overflow $w 500 \times d 360 \times h 18 mm$



Unit FL4950DNO Basin FL04951SCW

Windsor Oak



Unit FL4950DWO
Basin FL04951SMB

Unit FL4950DWO
Basin FL04951SIW



Unit FL4950DWO
Basin FL04951SCW

Optional Overflow Cover Compatible with ceramic basins only



Chrome

Chrome plated brass **OVFLOWC**

Matt Black

Epoxy coated steel

OVFLOWMB

()

Brushed Brass

PVD brass

OVFLOWF

(3)

Brushed Stainless Steel Effect

PVD brass

OVFLOWV

Alternative Basin - No Tap Hole

470 0TH Midnight Black Glass Basin

No overflow w 510 x d 390 x h 12mm For wall mounted taps

FL04950SMB

470 0TH Ice White Glass Basin

No overflow w 510 x d 390 x h 12mm For wall mounted taps

FL04950SIW

Trap FittingsShort Furniture Trap

Height adjustable. 40.6L/min flow rate
Fits 32-43mm waste pipe.

50mm water seal

BTR0510W

Our glass basins are handcast from low iron soda lime silicate glass. Each basin conforms to EN572-9:2005 and EN 14688:2009.


Maximum water temperature 70 °C

Complete Your Fully Co-ordinating Cloakroom















ALO

Our Alo collection has been specifically designed for cloakrooms, featuring a reduced depth and complementary basin. The striking selection of finishes, including unique Rattan options, combined with ample handle options, makes this the perfect choice.

Choose to go bold with Soft Clay, keep it classic with White, or bring the outside in with rattan; the choice is yours.



Wall hung p 112

ALO

Product Highlights

- 1. Fully assembled
- 2. Pull to open, soft close hinged door with 2 way adjustment (30kg weight capacity)
- 3. Wall hangers with 2 way adjustment and safety lock (120kg weight capacity when fitted to solid wall)
- 4. Adjustable internal shelf

Finishes



Anti fingerprint

Anti fingerprint

Anti fingerprint

Anti fingerprint

Basin

Anti fingerprint



Handles

Supplied individually



Modern Choice of nine finishes



Knurled
Choice of four finishes



Classic Chrome only



ALO Wall Mounted Unit with White Gloss Cast Mineral Marble Basin

400 Door Unit w 397 x d 217 x h

w 397 x d 217 x h 600mm (w/ basin 645mm)

400 Gloss White Basin (Left or Right Handed)

No overflow. w 400 x d 220 x h 45mm


























FHX1CLASSICC

Handle Options must be ordered separately

Please note: handles are supplied individually. The rattan finishes of the furniture units include an integrated handle.



Trap Fittings

Short Furniture Trap

Height adjustable. 40.6L/min flow rate. Fits 32-43mm waste pipe. 50mm water seal. Conforms to BS EN 274-1:2002

BTR0510W

Complete Your Fully Co-ordinating Bathroom

Why not add a matching toilet furniture unit? We offer a wide range of finishes to match your furniture. See page 146 for our full range.







COUNTERTOP













Add a bit of luxury to your bathroom

Our Circus basins have our thinnest edge yet! All our finishes exteriors are hand finished, with smooth easy clean Matt Cru interior.





NEW

Circus Brushed Bronze Effect

Interior: Matt Cru. Exterior: Brushed Bronze effect No overflow. Slimline edge. Vitreous china Countertop only w $400 \times d$ $400 \times h$ 150mm

CT4084UCBZ





Circus Slate Effect

Interior: Matt Cru. Exterior: Brushed Slate effect No overflow. Slimline edge. Vitreous china Countertop only w $400 \times d$ $400 \times h$ 150mm

CT4084UCT



Circus Brushed Brass Effect

Interior: Matt Cru. Exterior: Brushed Brass effect No overflow. Slimline edge. Vitreous china Countertop only w 400 x d 400 x h 150mm

CT4084UCF



Circus Brushed Stainless Steel Effect

Interior: Matt Cru. Exterior: Brushed Stainless Steel effect No overflow. Slimline edge. Vitreous china Countertop only w 400 x d 400 x h 150mm

CT4084UCV



Circus

No overflow. Slimline edge White vitreous china Countertop only w 400 x d 400 x h 150mm

CT4084UCW



Circus

No overflow. Slimline edge White vitreous china Countertop only w 390 x d 390 x h 130mm

CT4140UCW



Circus

No overflow. Slimline edge White vitreous china Countertop only w 300 x d 300 x h 130mm

CT4914UCW



Circus Mini

No overflow. Slimline edge White vitreous china Countertop only w 230 x d 230 x h 130mm

CT4912UCW

Basin Guide

Our full guide, including details such as furniture compatibility can be found under the inspiration section at www.crosswater.co.uk



Castellon Mini

With overflow, Option to add a coloured overflow, see p 124 Countertop only White fine fireclay ceramic w $350 \times d$ $350 \times h$ 140mm

CT4015SCW



Castellon Carrara Marble/White PLUS

Interior: Gloss white internal. Exterior: Carrara Marble Décor With overflow, Option to add a coloured overflow, see p 124 Fine fireclay ceramic. Countertop only w $430 \times d$ $430 \times h$ 148mm

CT0012BSCM+



Castellon PLUS

With overflow, Option to add a coloured overflow, see p 124 White fine fireclay ceramic Countertop only w $430 \times d$ $430 \times h$ 148mm

CT0012BSCW+



Pearl Matt White PLUS+TON®

With overflow and antibacterial finish. Slimline edge Option to add a coloured overflow, see p 124 White fine fireclay ceramic. Countertop only w 450 x d 350 x h 158mm

CT05823SCWM



Pearl

No overflow White fine fireclay ceramic Countertop only w 450 x d 350 x h 150mm

CT05823UCW



Pearl

With overflow, Option to add a coloured overflow, see p 124 White fine fireclay ceramic Countertop only w $450 \times d \ 350 \times h \ 158 mm$

CT05823SCW



Amalfi

No overflow. Slimline edge White vitreous china Countertop only w 455 x d 325 x h 135mm

CT4432UCW



Serene

No overflow. Slimline edge White fine fireclay ceramic Countertop only w 580 x d 350 x h 150mm

CT0234UCW



Navarre

With overflow, Option to add a coloured overflow, see p 124 White vitreous china Countertop only w $590 \times d420 \times h140$ mm

CT4038SCW





Calpe

No overflow. Slimline edge White vitreous china Countertop only w 400 x d 400 x h 115mm

CT4090UCW



Navona

With overflow and 1TH White fine fireclay ceramic Countertop, back to wall or wall mount w 450 x d 350 x h 120mm

CT08801SCW



Air 60

With overflow and 1TH Option to add a coloured overflow, see p 124 White fine fireclay ceramic. Countertop or back to wall w $600 \times d$ $390 \times h$ 135mm

WM0132SCW



Real Counter

No overflow. Slimline edge White vitreous china Countertop only w 490 x d 400 x h 145mm

CT4072UCW



Gerona

No overflow and 1TH White vitreous china Countertop, back to wall or wall mount w 425 x d 305 x h 130mm

CT0037UCW





Turin

With overflow and 1TH Optional coloured overflow, see p 124 White vitreous china. Countertop or back to wall w 500 x d 350 x h 120mm

WM0017BSCW





Real Square

No overflow. Slimline edge White vitreous china Countertop only w 410 x d 410 x h 145mm

CT4071UCW

CLOAKROOM







NEW

Beck Green Matt 300 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 300 x d 300 x h 110mm

BK0301SUGM



Beck Pink Matt 300 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 300 x d 300 x h 110mm

BK0301SUPM



Beck Black Matt 300 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 300 x d 300 x h 110mm

BK0301SUBM



Beck White Matt 300 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 300 x d 300 x h 110mm

BK0301SUWM



NEW

Beck White Gloss 300 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 300 x d 300 x h 110mm

BK0301SUW



NEW

Beck Green Matt 400 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 400 x d 300 x h 110mm

BK0401SUGM



Beck Pink Matt 400 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 400 x d 300 x h 110mm

BK0401SUPM



NEW

Beck Black Matt 400 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 400 x d 300 x h 110mm

BK0401SUBM



Beck White Matt 400 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 400 x d 300 x h 110mm

BK0401SUWM



NEW Beck White Gloss 400 x 300

No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 400 x d 300 x h 110mm

BK0401SUW



NEW

Beck Green Matt 450 x 200

Right hand. No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 450 x d 200 x h 110mm

BK0451SUGM



NEW

Beck Pink Matt 450 x 200

Right hand. No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 450 x d 200 x h 110mm

BK0451SUPM



NEW

Beck Black Matt 450 x 200

Right hand. No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 450 x d 200 x h 110mm

BK0451SUBM



NEW

Beck White Matt 450 x 200

Right hand. No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 450 x d 200 x h 110mm

BK0451SUWM



NEW

Beck White Gloss 450 x 200

Right hand. No overflow and 1TH Matching coloured waste included Fine fireclay ceramic Supplied with wall fixings w 450 x d 200 x h 110mm

BK0451SUW





Popolo Matt White

Left hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCWM_LH



Popolo Matt Black

Left hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCBM_LH



Popolo

Left hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCW_LH



Popolo Matt White

Right hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCWM_RH





Popolo Matt Black

Right hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCBM_RH



Popolo

Right hand. With overflow and 1TH Option to add a coloured overflow, see p 124 Fine fireclay ceramic Wall mount only - supplied with wall fixings w $480 \times d$ $250 \times h$ 160 mm

WM4825SCW_RH





WALL MOUNTED







Air 60

With overflow, Option to add a coloured overflow, see p 124 White fine fireclay ceramic Countertop, back to wall or wall mount w 600 x d 390 x h 135mm

WM0132SCW



Navona

With overflow and 1TH
White fine fireclay ceramic
Countertop, back to wall or wall mount
w 450 x d 350 x h 120mm

CT08801SCW



Kai S Corner Basin

With overflow and antibacterial finish Option to add a coloured overflow, see p 124 White fine fireclay ceramic Wall mount only - supplied with concealed fixing kit w 450 x d 350 x h 158mm

KLSC01SCW





Turin

With overflow, Option to add a coloured overflow, see p 119 White vitreous china Countertop, back to wall or wall mount w $500 \times d$ $350 \times h$ 120mm

WM0017BSCW



Gerona

No overflow White vitreous china Countertop, back to wall or wall mount w 425 x d 305 x h 130mm

CT0037UCW



123



Arena 65

With overflow, option to add a coloured overflow, see p 124 White fine fireclay ceramic Wall mount only w 650 x d 402 x h 170mm

1 tap hole

AN0611SCW

No tap hole

AN0610SCW



Arena 75

With overflow, option to add a coloured overflow, see p 124 White fine fireclay ceramic Wall mount only

w 750 x d 402 x h 170mm

1 tap hole

AN0711SCW

No tap hole AN0710SCW



Arena 110

Left hand basin with 1TH and overflow, option to add a coloured overflow, see p 124 White fine fireclay ceramic. Wall mount only w 1100 x d 402 x h 170mm

1 tap hole

AN1011SCW_LH



Arena 110

Right hand basin with 1TH and overflow, option to add a coloured overflow, see p 124

White fine fireclay ceramic. Wall mount only w 1100 x d 402 x h 170mm

1 tap hole

AN1011SCW_RH

No tap hole

AN1010SCW_RH



UNDERMOUNT AND INSET







Torino A Midi

With overflow, Option to add a coloured overflow, see p 124 White vitreous china. Undermount only w 510 x d 380 x h 195mm (internal w 455 x d 310mm)

UM0051SCW



Torino B Small

With overflow, Option to add a coloured overflow, see p 124 White vitreous china. Undermount only w 510 x d 325 x h 170mm (internal w 450 x d 270mm)

UM0051BSCW



Ancona

With overflow, Option to add a coloured overflow, see p 124 White fine fireclay ceramic. Undermount only w 570 x d 400 x h 215mm (internal w 520 x d 360mm)

UM5740UCW

Required undermount fixings

T/0051



Cerdeña

With overflow, Option to add a coloured overflow, see p 124 White vitreous china. Undermount only Supplied complete with template and undermount fixings

Supplied complete with template and undermount fixings w $380 \times d 380 \times h 170$ mm (internal w $326 \times d 326$ mm)

UM0052SCW+



Nepi

No overflow White fine fireclay ceramic Inset/drop in only w 400 x d 400 x h 205mm (internal h 195mm) Supplied complete with template (cut out diameter 380mm)

IN84100UCW



NEW Libra

With overflow, Option to add a coloured overflow, see p 124 White fine fireclay ceramic Semi-recessed only

 $w\,560\,x\,d\,288\,x\,h\,142mm\,(internal\,h\,92mm)$ Supplied complete with template (cut out diameter 380mm)

LB0551SCW



Important Installation Information

It is recommended to template worktop cut outs to the actual basin.

WASTES, OVERFLOW COVERS & TRAPS







Universal Basin Click Clack Waste

For basins with or without an overflow. Please note appearance may vary.

Chrome

BSW0260C

Brushed Stainless Steel Effect

PRO0260V+

Brushed Brass⁺

BSW0290F

Matt Black

PRO0260M

316 Stainless Steel

TS0290S

Nickel

BSW0260N




Unslotted Basin Click Clack Waste

Extended thread 100mm For basins without an overflow

Chrome

BSW0102C



PRI0260UB

Carbon Black

PRI0260M

Unlacquered Brass

BSW0260Q

Brushed Bronze

BSW0290BZ ◆ Slate

BSW0290T



Unslotted Basin Click Clack Waste

For ceramic basins without an overflow White plug with chrome body

White Ceramic/Chrome

BSW0101GW+





Slotted Basin Click Clack Waste

For basins with an overflow

Chrome

BSW0103C

Extended Thread 100mm BSW0104C



Slotted Basin Click Clack Waste

For ceramic basins with an overflow White plug with chrome body

White Ceramic/Chrome BSW0103GW+



Millennium Tall Bottle Trap

With 400mm pipe

Chrome BTR0402C

Brushed Stainless Steel Effect

PRO0402V+

Brushed Brass PRO0402F+

Matt Black

BTR0402M Brushed Bronze

BTR0402BZ

Slate BTR0402T



Short Furniture Trap

Height adjustable. 40.6L/min flow rate Fits 32-43mm waste pipe. 50mm seal Conforms to BS EN 274-1:2002

White

BTR0510W



Furniture Basin Trap

Extra slim push-fit trap. Fits 1¼" waste pipe. Horizontal or vertical Min height under basin: 54mm

White

BTR0410W





Overflow Cover

For ceramic basins



Brushed Stainless Steel Effect

OVFLOWV

Brushed Brass

OVFLOWF

Matt Black **OVFLOWMB**

Overflow Covers Basin Compatibility

Overflow covers can be used with the following Ceramic Furniture Basins: Arena, Zion, Glide II, Vergo, Limit

Overflow covers can be used with the following basins:

 CT0012BSCM+ CT0012BSCW+

CT4015SCW

CT05823SCW

CT05823SCWM

- CT4038SCW
- LB0551SCW
- WM0132SCW
- WM0017BSCW

WM4825SCBM_LH

- WM4825SCBM_RH
- WM4825SCWM_LH
- WM4825SCWM_RH • WM4825SCCW LH
- UM5740UCW
- UM0051BSCW

UM0051SCW

- UM0052SCW+
- WM4825SCCW_RH

129

GLIDE II





Short Projection Wall Hung Toilets



Matt White Wall Hung Short Projection Toilet

Rimless, reduced projection toilet Soft close and quick release seat Will flush at Eco saving 3/4.5L Complete with concealed fixings Requires support frame and cistern, see page 135 w 370 x d 460 x h 325mm

Toilet GL6115CWM Seat GL6106WM



Gloss White Wall Hung Short Projection Toilet

Rimless, reduced projection toilet Soft close and quick release seat Will flush at Eco saving 3/4.5L Complete with concealed fixings Requires support frame and cistern, see page 135 w 370 x d 460 x h 325mm

Toilet GL6115CW Seat GL6106W

Wall Hung Toilets



Gloss White Wall Hung Toilet

Rimless toilet Soft close and quick release seat Will flush at Eco saving 3/4.5L Complete with concealed fixings Requires support frame and cistern, see page 135 w 365 x d 510 x h 345mm

Toilet GL6116CW Seat GL6105W

Back to Wall Toilets



Matt White Back to Wall Toilet

Rimless toilet Soft close and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings Requires concealed cistern, see page 137 w 365 x d 510 x h 425mm

Toilet GL6117CWM Seat GL6105WM



Gloss White Back to Wall Toilet

Rimless toilet Soft close and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings Requires concealed cistern, see page 137 w 365 x d 510 x h 425mm

Toilet GL6117CW Seat GL6105W

Rimless Design

The smart rimless design creates not only a better looking toilet but a cleaner and more hygienic toilet as there is nowhere for bacteria, limescale or grime to accumulate.

Additionally, the fully glazed internal waterways feature means Glide II toilets deliver complete cleanliness.

Space Saving Glide II wall hung toilets are available in a short projection variant which is a little wider but has 2" shorter projection for rooms where optimising space is critical. 460mm

LIBRA





Rimless Design

The smart rimless design creates not only a better looking toilet but a cleaner and more hygienic toilet as there is nowhere for bacteria, limescale or grime to accumulate. Additionally, the fully glazed internal waterways feature means Libra toilets deliver complete cleanliness.

Short Projection Wall Hung Toilets



Matt White Wall Hung Short Projection Toilet

Rimless toilet

Soft close, thin and quick release seat

Will flush at Eco saving 3/4.5L

Complete with pre-fitted concealed fixings

Requires support frame and cistern, see page 135 w 348 x d 485 x h 364mm

Toilet LB6115CWM Seat LB6105CWM



NEW

Gloss White Wall Hung Short Projection Toilet

Rimless toilet

Soft close, thin and quick release seat

Will flush at Eco saving 3/4.5L

Complete with pre-fitted concealed fixings

Requires support frame and cistern, see page 135

w 348 x d 485 x h 364mm

Toilet LB6115CW Seat LB6105CW

Back to Wall Toilets



NEW

Matt White Back to Wall Short Projection Toilet

Soft close, thin and quick release seat

Will flush at Eco saving 3/4.5L

Complete with floor fixings

Requires concealed cistern, see page 137

w 346 x d 485 x h 401mm

Toilet LB6117CWM Seat LB6105CWM



NEW

Gloss White Back to Wall Short Projection Toilet

Soft close, thin and quick release seat

Will flush at Eco saving 3/4.5L

Complete with floor fixings

Requires concealed cistern, see page 137

w 346 x d 485 x h 401mm

Toilet LB6117CW

Seat LB6105CW



All Glide toilets conform to BS EN 997:2018 Class 2 and BS EN 33:2019



KAI X





Wall Hung Toilets

Back to Wall Toilets

Gloss White Wall Hung Toilet

Rimless toilet
Soft close, thin and quick release seat
Will flush at Eco saving 3/4.5L
Complete with pre-fitted concealed fixings
Requires support frame and cistern, see page 135
w 360 x d 555 x h 400mm

Toilet KL6216CW Seat KL6205W

Gloss White Back to Wall Toilet

Soft close, thin and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings Requires concealed cistern, see page 137 w 360 x d 560 x h 400mm

Toilet KL6207CW Seat KL6205W

Compact Close Coupled Toilets



Gloss White Compact Close Coupled Toilet

Reduced projection toilet Soft close, thin and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings Factory fitted cistern and mechanism w 360 x d 620 x h 395mm (toilet) w 360 x d 150 x h 395mm (cistern)

Toilet KL6205CW
Cistern & Mechanism KL7205CW+
Seat KL6205W



KAI





Wall Hung Toilets

Back to Wall Toilets

Compact Close Coupled Toilets



NEW

Gloss White Wall Hung Toilet

Soft close, thin and quick release seat Will flush at Eco saving 3/4.5L Complete with pre-fitted concealed fixings Requires support frame and cistern, see page 135 w 350 x d 530 x h 320mm

Toilet KL6006CW+ Seat KL6105W



Gloss White Back to Wall Toilet

Soft close, thin and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings Requires concealed cistern, see page 137 w 355 x d 540 x h 400mm

Toilet KL6007CW Seat KL6105W



Gloss White Compact Close Coupled Toilet

Reduced projection toilet Soft close, thin and quick release seat Will flush at Eco saving 3/4.5L Complete with floor fixings w 365 x d 640 x h 400mm (toilet) w 365 x d 155 x h 390mm (cistern)

Toilet KL6005CW KL7005CW+ Cistern & Mechanism KL6105W

Compact Design

Our Kai range has close coupled toilets, full back to wall or wall hung, to effortlessly fit into any bathroom. The hygienic glaze throughout make these toilets the perfect choice for every modern bathroom.

For a space saving solution consider our Kai compact close coupled toilet, with a projection of 64cm, which combines space saving form with all the comfort of a larger model. This original design is a great solution for freeing up space in any smaller bathroom.



All Kai toilets conform to BS EN 997:2018 Class 2 and BS EN 33:2019

WALL HUNG TOILET SUPPORT FRAMES





Included as standard

Our wall hung toilet support frames all include:

- Water saving dual flush cistern
- Epoxy power coated steel frame, tested to take up to 400kg weight
- For wall hung toilets with connection dimensions in accordance with EN 33:2011
- Compatible with all Crosswater flush plates
- Large feet for easy rear fixing (specially designed for UK timber floor)
- Supplied complete with all fittings for installation
- Easy install wall brackets for vertical or horizontal fixing
- Adjustable feet with rubber sound deadening pads
- Full UK specification to EN 14055 Class 2
- · Easy install wall brackets for vertical or horizontal fixing


0.82m Toilet Frame




0.82m Height Toilet Frame

Dual flush
Top & front flush
Maximum supply pressure 6 bar
Compatible with our wide range of flush plates
WRAS Approved Product

WCF82X50+2






0.98m Toilet Frame



0.98m Height Toilet Frame

Dual flush
Front flush only
Maximum supply pressure 6 bar
Compatible with our wide range of flush plates
WRAS Approved Product

WCF98X50+2



1.12m Toilet Frame



1.12m Height Toilet Frame

Dual flush
Front flush only
Maximum supply pressure 6 bar
Compatible with our wide range of flush plates
WRAS Approved Product

WCF118X50+2





Ultra Slim 1.14m Toilet Frame

Ultra Slim 1.14m Height Toilet Frame

Dual flush
Front flush only
Maximum supply pressure 6 bar
Compatible with our wide range of flush plates
WRAS Approved Product

WCF118X50-VS+2





CONCEALED TOILET CISTERNS





Included as standard

Our concealed toilet cisterns all include:

- UK sized inlet and outlet pipe work
- Water saving dual flush cistern factory set at 6/3 litre adjustable to 4.5/3 litre
- Simple mechanical or cable connection method to ensure high performance
- · Accessible isolating valve
- Compatible with all Crosswater flush plates


Standard Height Concealed Cistern




0.46m Height Concealed Cistern

Dual flush Top & front flush Compatible with our wide range of flush plates Maximum supply pressure 6 bar w 404 x d 140 x h 465mm WRAS Approved Product

WCC47X46+2






Taller Concealed Cistern




0.53m Height Concealed Cistern

Dual flush Top & front flush Compatible with our wide range of flush plates Maximum supply pressure 6 bar w 480 x d 78 x h 535mm WRAS Approved Product

WCC57X46+2





Slim Line Concealed Cistern



NEW


0.36m Height Concealed Cistern with Chrome Flush

Dual flush

Supplied with chrome flush button, see right for optional upgrades Maximum supply pressure 6 bar

w 390 x d 115 x h 345mm

WCC39X45C



Optional Flush Button Upgrades



Matt Black

Mechanical operation ABS

WCCBUTTONMB





Brushed Brass

Mechanical operation ABS

WCCBUTTONF





Brushed Stainless Steel Effect

Mechanical operation

WCCBUTTONV

FLUSH PLATES





MPRO 304 Stainless Steel



Polished Stainless Steel

Mechanical operation 304 stainless steel w 236 x h 152mm

PROPLATEPS



NEW

Brushed Bronze

Mechanical operation 304 stainless steel

PROFLUSHBZ



NEW

Matt Black

Mechanical operation 304 stainless steel w 236 x h 152mm

PROPLATEMB



NEW Slate

Mechanical operation 304 stainless steel

PROFLUSHT



Brushed Brass Effect

Mechanical operation 304 stainless steel w 236 x h 152mm

PROPLATEF



Brushed Stainless Steel

Mechanical operation 304 stainless steel w 236 x h 152mm

PROPLATEPV

Cleverly designed for your bathroom

 $Crosswater \ flush\ plates\ complement\ any\ bathroom\ design.$ We offer are wide range of finishes to beautifully match your brassware, toilet and furniture.

Our flush plates are:

- · Easy to fit
- Dual flush including eco flush
- Smooth yet positive operation
- Manufactured from high impact, tough ABS or thermal tempered glass
- Actuation force 20NM
- Compatible with our toilet frames and concealed cisterns

There is no need to worry about maintenance as all cistern parts can be accessed by simply removing the flush plate.

The dual flush technology allows you to reduce your water usage by up to 40%. Press the large button to flush with the entire water volume, or the smaller button for an Eco flush (reduced 3 litre volume).

MPRO



Chrome

Mechanical operation ABS w 236 x h 152mm

TEFLUSHC+



Matt Black

Mechanical operation ABS w 236 x h 152mm

PROFLUSHB



Brushed Brass

Mechanical operation ABS w 236 x h 152mm

PROFLUSHF



Brushed Stainless Steel Effect

Mechanical operation ABS w 236 x h 152mm

PROFLUSHV+



Matt White

Mechanical operation ABS w 236 x h 152mm

PROFLUSHMW





Chrome

Mechanical operation ABS w 236 x h 152mm

ANFLUSHC



Matt Black

Mechanical operation ABS w 236 x h 152mm

ANFLUSHB



Brushed Brass

Mechanical operation ABS w 236 x h 152mm

ANFLUSHF



Brushed Stainless Steel Effect

Mechanical operation ABS w 236 x h 152mm

ANFLUSHV

CENTRAL



Chrome

Mechanical operation ABS w 236 x h 152mm

CEFLUSHC+



Ice White Glass

Mechanical operation Thermal tempered glass w 236 x h 152mm

FLUSHIW



Cleverly designed for your bathroom

Crosswater flush plates complement any bathroom design. We offer are wide range of finishes to beautifully match your brassware, toilet and furniture.

Our flush plates are:

- Easy to fit
- · Dual flush including eco flush
- Smooth yet positive operation
- Manufactured from high impact, tough ABS or thermal tempered glass
- Actuation force < 20NM
- Compatible with our toilet frames and concealed cisterns

There is no need to worry about maintenance as all cistern parts can be accessed by simply removing the flush plate.

The dual flush technology allows you to reduce your water usage by up to 40%. Press the large button to flush with the entire water volume, or the smaller button for an Eco flush (reduced 3 litre volume).



TOILET FURNITURE UNITS







Castilla Oak

Requires some on site assembly w 545 x d 225 x 920mm

SP5492CO



Nordic Oak

Requires some on site assembly



Windsor Oak

Requires some on site assembly



Steelwood

Requires some on site assembly w 545 x d 225 x 920mm

SP5492ST+



Matt Black

Requires some on site assembly w 545 x d 225 x 920mm



Storm Grey Matt

Requires some on site assembly w 545 x d 225 x 920mm

SP5492SG



Deep Indigo Blue

Requires some on site assembly w 545 x d 225 x 920mm

SP5492IB



Sage Green

Requires some on site assembly w 545 x d 225 x 920mm

SP5492SGR



Matt White

Requires some on site assembly w 545 x d 225 x 920mm

SP5492WM



Pure White Gloss

w 545 x d 225 x 920mm

SP5492WG+



Soft Clay

Requires some on site assembly w 545 x d 225 x 920mm

SP5492SC





White Gloss

Requires some on site assembly w 545 x d 225 x 920mm

SP5492WG

Perfect for any bathroom

Our toilet furniture units are suitable for use with toilet frame WCF82X50+ and concealed cisterns WCC47X46+2 and WCC39X45C (choice of flush button finish options)

Our slimline floor units are supplied with uncut fascia, removable top and adjustable feet.

MADA







Mada LED Mirror

Touch controls to adjust brightness and colour temperature LED lighting

Heated demister

5mm mirror glass with safety film backing

IP44 Class 1 rated

Landscape or portrait hanging

w 500 x d 30 x h 700mm

MA5070



Mada LED Mirror

Touch controls to adjust brightness and colour temperature LED lighting

Heated demister

5mm mirror glass with safety film backing

IP44 Class 1 rated

Landscape or portrait hanging

 $w\,600\,x\,d\,30\,x\,h\,800mm$

MA6080



Mada LED Mirror

Touch controls to adjust brightness and colour temperature LED lighting

Heated demister

5mm mirror glass with safety film backing

IP44 Class 1 rated

Landscape or portrait hanging

w 700 x d 30 x h 900mm

MA7090

The perfect partner for our Mada furniture

 ${\it Mada\ mirrors\ have\ been\ specially\ designed\ to\ pair\ with\ the\ shape\ of\ our\ Mada\ furniture}$ collection. Available in four finishes, compatible with either a basin or worktop, this collection can be styled to your taste.







*Subject to online registration 149

ARTIST®







NEW

Artist Back Lit Mirror

Ambient behind glass perimeter LED lighting No touch PIR sensor on/off switch Heated demister pad 16w 5mm mirror glass with safety film backing IP44 Class 1 rated Landscape or portrait hanging w 700 x d 30 x h 500mm


ART5070



Artist Back Lit Mirror

Ambient behind glass perimeter LED lighting No touch PIR sensor on/off switch Heated demister pad 16w 5mm mirror glass with safety film backing IP44 Class 1 rated Landscape or portrait hanging w 800 x d 30 x h 600mm

ART6080



Artist Back Lit Mirror

Ambient behind glass perimeter LED lighting No touch PIR sensor on/off switch Heated demister pad 25w 5mm mirror glass with safety film backing IP44 Class 1 rated Landscape or portrait hanging w $1000 \times d 30 \times h$ 600mm

ART60100



Artist Forme Back Lit Mirror

Ambient behind glass perimeter LED lighting Touch control on/off switch 5mm mirror glass with safety film backing IP44 Class 1 rated Landscape hanging only w $640 \times d 30 \times h 488$ mm

ART6248



GLIDE II







Glide II Ambient Lit Mirror

Touch controls to adjust brightness and colour temperature LED lighting Charging/shaver socket EN61558-2-5 Heated demister pad 310 x 450mm 21w 5mm mirror glass with safety film backing IP44 Class 1 rated w $500 \times d$ $35 \times h$ 800mm

GL5080



Glide II Ambient Lit Mirror

Touch controls to adjust brightness and colour temperature LED lighting Charging/shaver socket EN61558-2-5 Heated demister pad 310 x 450mm 21w 5mm mirror glass with safety film backing IP44 Class 1 rated w 800×4 35 x h 600mm

GL6080



Glide II Ambient Lit Mirror

Touch controls to adjust brightness and colour temperature LED lighting
Charging/shaver socket EN61558-2-5
Heated demister pad 310 x 450mm 21w
5mm mirror glass with safety film backing
IP44 Class 1 rated
w 1000 x d 35 x h 600mm

GL10060

Create your perfect bathroom ambiance

Glide II mirrors feature the latest LED technology, allowing you to change the colour temperature of the mirror from warm white (3000K) to daylight (6000K) and every shade in-between. The demisting feature and charging socket for your toothbrush or a shaver completes this lovely bathroom mirror.









SVELTE







Svelte Illuminated Mirror

Touch controls to adjust brightness and colour temperature LED lighting
Heated demister pad 310 x 450mm 21w
5mm mirror glass with safety film backing
IP44 Class 1 rated

Landscape or portrait hanging w 500 x d 35 x h 800mm

SE5080



Svelte Illuminated Mirror

Touch controls to adjust brightness and colour temperature LED lighting Heated demister pad 310 x 450mm 21w 5mm mirror glass with safety film backing IP44 Class 1 rated w $600 \times d$ 35 x h 600mm

SE6060



Svelte Illuminated Mirror

w 1200 x d 35 x h 700mm

Touch controls to adjust brightness and colour temperature LED lighting
Heated demister pad 310 x 450mm 21w
5mm mirror glass with safety film backing
IP44 Class 1 rated
Landscape hanging only

SE12070



NEW

Svelte Glow Illuminated Mirror with Magnifier

Touch controls to adjust brightness and colour temperature LED lighting Heated demister pad 22.5w 5mm mirror glass with safety film backing IP44 Class 1 rated Portrait hanging only w $600 \times d \cdot 35 \times h \cdot 800mm$

SE6080




Svelte Glow Illuminated Mirror with Magnifier

Touch controls to adjust brightness and colour temperature LED lighting
Heated demister pad 35w
5mm mirror glass with safety film backing
IP44 Class 1 rated
Landscape hanging only
w 1000 x d 35 x h 700mm

SE100070



Change your lighting to suit your mood Svelte mirrors blend form and function with elegant design. The perimeter LED lighting allows you to change the colour temperature of your mirror between warm white (3000).









Cool white

*Subject to online registration 155

INFINITY







NEW

Infinity Illuminated Mirror

Touch controls to adjust light temperature
Adjustable light temperature from 3000K to 6000K
LED lighting

5mm mirror glass with safety film backing IP44 Class 1 rated \emptyset 500 x d 32mm

IF_MIRROR

◆ Matt Black

IF_MIRROR50MB

Brushed Brass

IF_MIRROR50F

Brushed Bronze
IF_MIRROR50BZ

◆ Slate

IF_MIRROR50T



NEW

Infinity Illuminated Mirror

Touch controls to adjust light temperature
Adjustable light temperature from 3000K to 6000K
LED lighting

Heated demister pad 300 x 200mm 11w 5mm mirror glass with safety film backing IP44 Class 1 rated

Ø 600 x d 32mm

IF_MIRROR60

◆ Matt Black

IF_MIRROR60MB

◆ Brushed Brass IF_MIRROR60F

Brushed Bronze

IF_MIRROR60BZ

◆ Slate

IF_MIRROR60T



NEW

Infinity Illuminated Mirror

Touch controls to adjust light temperature
Adjustable light temperature from 3000K to 6000K
LED lighting

Heated demister pad 350 x 250mm 16w 5mm mirror glass with safety film backing IP44 Class 1 rated Ø 700 x d 32mm

IF_MIRROR70

◆ Matt Black

IF_MIRROR70MB

◆ Brushed Brass IF_MIRROR70F

Brushed Bronze

IF_MIRROR70BZ

◆ Slate

IF_MIRROR70T



Infinity Illuminated Mirror

Touch controls to adjust light temperature
Adjustable light temperature from 3000K to 6000K
LED lighting

Heated demister pad 310 x 450mm 21w 5mm mirror glass with safety film backing IP44 Class 1 rated Ø 800 x d 30mm

IF_MIRROR80



NEW

Infinity Non Lit Mirror

No lighting

5mm mirror glass with safety film backing Ø 500 x d 32mm

IF5050

◆ Matt Black

IF_NIMIRROR50MB

♦ Brushed Brass
IF_NIMIRROR50F

♦ Brushed Bronze
IF_NIMIRROR50BZ

◆ Slate

IF_NIMIRROR50T

Control your lighting at a touch of a button

The perimeter LED lighting of our Infinity illuminated mirrors allows you to change the colour temperature of your mirror between warm white (3000K) to daylight (6000K) with one touch. Infinity Ø 500mm is also available in a non-lit version.





NEW

Infinity Non Lit Mirror

No lighting

5mm mirror glass with safety film backing

Ø 600 x d 32mm

◆ Matt Black

IF_NIMIRROR60MB

Brushed Brass

IF_NIMIRROR60F

◆ Brushed Bronze
IF_NIMIRROR60BZ

Slate

IF_NIMIRROR60T



NEW

Infinity Non Lit Mirror

No lighting

5mm mirror glass with safety film backing \emptyset 700 x d 32mm

◆ Matt Black

IF_NIMIRROR70MB

Brushed Brass

IF_NIMIRROR70F

◆ Brushed Bronze
IF_NIMIRROR70BZ

A Class

IF_NIMIRROR70T

MPRO







MPRO Lit Mirror

PIR sensor on/off switch
LED lighting - daylight 6400K
Heated demister pad 310 x 450mm 30w
5mm mirror glass with safety film backing
IP44 Class 1 rated

Portrait or landscape hanging w 500 x d 32 x h 700mm

◆ Matt Black MP5070MB

Brushed Brass

MP5070F

Brushed Bronze

MP5070BZ

Slate MP5070T



MPRO Lit Mirror

PIR sensor on/off switch LED lighting - daylight 6400K Heated demister pad 310 x 450mm 30w 5mm mirror glass with safety film backing IP44 Class 1 rated

Portrait or landscape hanging w 600 x d 32 x h 800mm

Brushed Stainless Steel MP6080V

◆ Matt Black

MP6080MB

Brushed Brass MP6080F

Brushed Bronze

MP6080BZ

Slate MP6080T



MPRO Lit Mirror

PIR sensor on/off switch
LED lighting - daylight 6400K
Heated demister pad 310 x 450mm 30w
5mm mirror glass with safety film backing
IP44 Class 1 rated
Portrait or landscape hanging

w 700 x d 32 x h 900mm

Matt Black

MP7090MB

Brushed Brass MP7090F

Brushed Bronze

MP7090BZ

Slate MP7090T



MPRO Non Lit Mirror

Portrait or landscape hanging w 500 x d 32 x h 700mm

Matt Black MPNI5070MB

Brushed Brass

MPNI5070F

Brushed Bronze
MPNI5070BZ

♦ Slate

MPNI5070T



MPRO Non Lit Mirror

Portrait or landscape hanging w 600 x d 32 x h 800mm

◆ Matt Black

MPNI6080MB

Brushed Brass

MPNI6080F

Brushed Bronze
MPNI6080BZ

♦ Slate

MPNI6080T



MPRO Non Lit Mirror

Portrait or landscape hanging w 700 x d 32 x h 900mm

◆ Matt Black

MPNI7090MB

Brushed Brass MPNI7090F

Brushed Bronze
MPNI7090BZ

♦ Slate

MPN17090T

*Subject to online registration 159

CANVASS







Touch controls to adjust brightness LED lighting Heated demister pad 10w 5mm mirror glass with safety film backing IP44 Class 1 rated Ø 500 x d 30mm

CV_MIRROR50



Canvass Illuminated Mirror

Touch controls to adjust brightness LED lighting Heated demister pad 10w 5mm mirror glass with safety film backing IP44 Class 1 rated w 900 x d 30 x h 500mm

CV_MIRROR90



Canvass Illuminated Mirror

Touch controls to adjust brightness LED lighting Heated demister pad 10w 5mm mirror glass with safety film backing IP44 Class 1 rated Ø 600 x d 30mm

CV_MIRROR60




Touch controls to adjust brightness LED lighting Heated demister pad 10w 5mm mirror glass with safety film backing IP44 Class 1 rated Ø 700 x d 30mm

CV_MIRROR70

DUNE















Dune Illuminated Mirror

Touch controls to adjust light temperature LED lighting Heated demister pad 310 x 450mm 30w 5mm mirror glass with safety film backing IP44 Class 1 rated Portrait hanging only w 400 x d 34 x h 600mm

DN4060



Dune Illuminated Mirror

Touch controls to adjust light temperature LED lighting Heated demister pad 310 x 450mm 30w 5mm mirror glass with safety film backing IP44 Class 1 rated Portrait hanging only w 500 x d 34 x h 800mm

DN5080

ELITE









Elite Lit Mirror

PIR sensor on/off switch
84 x 5W LEDs - daylight 6400K
Heated demister pad 310 x 450mm 22w
5mm mirror glass with safety film backing EN6206.1961
IP44 Class 1 rated
Portrait or landscape hanging
w 500 x d 32 x h 800mm

ME8050B

Crystal clear reflection with an array of features

Elite mirrors feature a no-touch on/off switch as well as heated de-misting pads which turn on in conjunction with the energy saving LED lights and gently warm just above room temperature to cleverly remove mist.

*Subject to online registration 163

IMAGE







Image Mirrored Cabinet

Double sided mirror door with soft close hinges PIR sensor on/off switch

Adjustable light temperature from warm white daylight Cool ambient under cabinet and internal LED lighting Internal mirrored back panel - easy to clean

3 height adjustable 5mm thick toughened safety glass shelves Internal charging/shaver socket EN61558-2-5

Fully IP44 rated & CE approved

A energy rating

w 505 x d 120 x h 750mm

IG5070



Image Mirrored Cabinet

Double sided mirror doors with soft close hinges PIR sensor on/off switch

Adjustable light temperature from warm white daylight Cool ambient under cabinet and internal LED lighting Internal mirrored back panel - easy to clean

3 height adjustable 5mm thick toughened safety glass shelves Internal charging/shaver socket EN61558-2-5 Fully IP44 rated & CE approved

A energy rating

w 705 x d 120 x h 750mm

IG7070



Image Mirrored Cabinet

Double sided mirror doors with soft close hinges PIR sensor on/off switch

Adjustable light temperature from warm white daylight Cool ambient under cabinet and internal LED lighting Internal mirrored back panel - easy to clean

3 height adjustable 5mm thick toughened safety glass shelves Internal charging/shaver socket EN61558-2-5

Fully IP44 rated & CE approved

A energy rating

w 905 x d 120 x h 750mm

IG9070

Beautiful outside, intelligent inside

Our Image mirrored cabinets sets new standards with innovative technology, classic design and proportions which contain ample space for all your storage needs. Featuring double-sided fully mirrored doors for comfortable and expansive head and shoulders viewing. Full-width overhead LED light canopy provides outstanding brightness that can be changed from warm white (3000K) to daylight (6000K) to suit your mood. An extra LED light source illuminates the tap and basin on the underside of the cabinet

Open the cabinet to find height-adjustable safety glass shelves with a stunning fully mirrored back. Additionally, LED lighting appears on each interior side of the cabinet to illuminate all your favourite items. As well as a charging socket for shaver or toothbrush.







*Subject to online registration 165

LUSTRO







Lustro Mirrored Cabinet

Reversible mirrored door with soft close hinges

PIR sensor on/off switch

LED lighting

3 height adjustable 5mm thick toughened safety glass shelves Internal charging/shaver socket EN61558-2-5

Fully IP44 rated & CE approved

A energy rating

w 550 x d 145 x h 700mm

LU5570



Lustro Mirrored Cabinet

Mirrored door with soft close hinges

PIR sensor on/off switch

LED lighting

3 height adjustable 5mm thick toughened safety glass shelves Internal charging/shaver socket EN61558-2-5

Fully IP44 rated & CE approved

A energy rating

w 620 x d 145 x h 700mm

LU6270



Lustro Mirrored Cabinet

Mirrored door with soft close hinges

PIR sensor on/off switch

LED lighting

3 height adjustable 5mm thick toughened safety glass shelves

Internal charging/shaver socket EN61558-2-5

Fully IP44 rated & CE approved

A energy rating

w 800 x d 145 x h 700mm

LU8070

Stylish storage with benefits

Our Lustro mirrored cabinets make the perfect stylish storage addition to any bathroom. The full-width overhead LED light canopy provides outstanding head and shoulders viewing, with the hands free sensor you don't have to worry about cleaning finger marks off the mirror constantly.

Open the cabinet to find three height-adjustable safety glass shelves for plenty of storage space, customisable to your needs, as well as a charging socket for shaver or toothbrush. With soft close doors you don't have to worry about slamming doors either.






*Subject to online registration 167

TRANQUIL LIGHTS





Tranquil Pillar Lights



NEW

Chrome

Fitted with 40W LED 3000K warm light

Light direction can be adjusted by 45° IP44 rated

TRL001C



NEW

Brushed Bronze

Fitted with 40W LED

IP44 rated

Tranquil Halo Lights

TRL001BZ

Fitted with 40W LED 3000K warm light

Light direction can be adjusted by 45° IP44 rated

TRL001MB

NEW Matt Black



Brushed Brass

Fitted with 40W LED 3000K warm light Light direction can be adjusted by 45° IP44 rated

TRL001F



Brushed Stainless Steel Effect

Fitted with 40W LED 3000K warm light Light direction can be adjusted by 45° IP44 rated

TRL001V

3000K warm light

Light direction can be adjusted by 45°



Light direction can be adjusted by 45°



Fitted with 40W LED

3000K warm light

IP44 rated

TRL001T



NEW

Chrome

Fitted with 3W G9 bulb 3000K warm dimmable light

IP44 rated

TRL002C



NEW

Brushed Bronze

Fitted with 3W G9 bulb 3000K warm dimmable light



NEW

Matt Black

Fitted with 3W G9 bulb 3000K warm dimmable light IP44 rated

TRL002MB



NEW

3000K warm dimmable light IP44 rated



NEW **Brushed Brass**

Fitted with 3W G9 bulb 3000K warm dimmable light

IP44 rated TRL002F



Brushed Stainless Steel Effect

Fitted with 3W G9 bulb 3000K warm dimmable light IP44 rated

TRL002V



IP44 rated

TRL002BZ



Slate

Fitted with 3W G9 bulb

TRL002T







Tranquil Pendant Lights

NEW

Chrome

Fitted with 3W G9 bulb 3000K warm dimmable light Supplied with 90° bracket for wall installation

and extender rods for ceiling installation IP44 rated

TRL003C



NEW

Fitted with 3W G9 bulb

and extender rods for ceiling installation IP44 rated



NEW **Brushed Brass**

Fitted with 3W G9 bulb

3000K warm dimmable light Supplied with 90° bracket for wall installation and extender rods for ceiling installation

IP44 rated TRL003F



NEW

Brushed Stainless Steel Effect

Fitted with 3W G9 bulb 3000K warm dimmable light Supplied with 90° bracket for wall installation and extender rods for ceiling installation IP44 rated

TRL003V



NEW

Brushed Bronze

Fitted with 3W G9 bulb 3000K warm dimmable light Supplied with 90° bracket for wall installation and extender rods for ceiling installation

IP44 rated TRL003BZ



Matt Black

3000K warm dimmable light Supplied with 90° bracket for wall installation

TRL003MB



NEW

Slate Fitted with 3W G9 bulb

3000K warm dimmable light Supplied with 90° bracket for wall installation and extender rods for ceiling installation IP44 rated

TRL003T



LIMIT







NEW

Metallic Black

BTU 2658 / Watts 779 Dual fuel element available w 395 x h 1200mm

LI39X1200BM



Matt Black Angled TRV

RADVTRVA1B



NEW

Matt Black

BTU 2658 / Watts 779 Dual fuel element available w 395 x h 1200mm

LI39X1200MB



Matt Black Corner TRV

RADVTRVC1B



NEW

White Matt

BTU 2658 / Watts 779 Dual fuel element available w 395 x h 1200mm

LI39X1200SW



Pier Chrome Angled TRV†

RADVTRVA1C



AIR







Metallic Black

BTU 1514 / Watts 444 Dual fuel element available w 500 x h 1150mm

AR50X1150MB



Matt Black Angled TRV

RADVTRVA1B



Metallic Black

BTU 2197 / Watts 644 Dual fuel element available w 500 x h 1630mm

AR50X1630MB



Matt Black Corner TRV

RADVTRVC1B



Soft White Matt

BTU 1514 / Watts 444 Dual fuel element available w 500 x h 1150mm

AR50X1150SW



Soft White Matt

BTU 2197 / Watts 644 Dual fuel element available w 500 x h 1630mm

AR50X1630SW



Pier Chrome Angled TRV†

RADVTRVA1C



Pier Chrome Corner TRV†

RADVTRVC1C



NEW

Brushed Brass Effect

BTU 1514 / Watts 444 Dual fuel element available w 500 x h 1150mm

AR50X1150F



NEW

Brushed Brass Effect

BTU 2197 / Watts 644 Dual fuel element available w 500 x h 1630mm

AR50X1630F



Innovative Design For High Heat Output

Air rails feature innovative manufacturing technology that injects air at very high pressure into the cross rails, this expands the cross rails to allow more hot water to circulate to generate excellent heat output.



Brushed Brass Effect Corner Valve

RADCORNERF

MPRO ELECTRIC





Why Choose Electric?

Our MPRO Electric towel warmers are supplied with a control dial, instead of a traditional valve, which includes innovative features:

- 5 temperature settings ranging from 30°C to 60°C.
- An electronic temperature sensor that guarantees precise temperature control
- Illuminated LED indicators display the set temperature level and the status of the heating
- Dryer/Boost on demand function allows the setting of a higher heating power for two hours, after which the element returns to the previous setting
- In the event of a power failure the element remembers the previous settings therefore making it suitable for connection to external timers

You can rely on the safety of our MPRO Electric towel warmers:

- The element is equipped with frost protection and double protection against overheating
- The display shows warning indicators in case of malfunction
- An active safety feature in case the rail runs dry
- Low power consumption in a standby mode



MPRO All Electric Towel Warmers fully comply with the following regulations: Low Voltage Directive 2014/35/EU, BS EN 60335-1:2012, BS EN 60335-2-73:2003+A1:2006+A2:2009, BS EN 60335-2-43:2002 + A1:2006+A2:2008 EMC Directive 2014/30/EU, BS EN 62332-2008, BN 55014-12:015, BS EN 5104-2:2015, BS EN 61000-3-2:2014, BS EN 61000-3-3:2013 ROHS Directive(2015/863/EU) and WEEE Directive (2012/19/EU)



NEW

All Electric Matt Black

400W

Class 1 IPX5

Element fitted to right hand side as standard w $430 \times h 900 \text{mm}$

MP48X93MBELEC



NEW

All Electric Matt White

400W

Class 1 IPX5

Element fitted to right hand side as standard w 430 x h 900mm

MP48X93MWELEC



NEW

All Electric Brushed Brass Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w $430 \times h 900$ mm

MP48X93FELEC



NEW

All Electric Brushed Bronze Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w 430 x h 900mm

MP48X93BZELEC



NEW

All Electric Slate Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w 430 x h 900mm

MP48X93TELEC



All Electric Matt Black

400W

Class 1 IPX5

Element fitted to right hand side as standard w 480 x h 1140mm

MP48X1140MBELEC



All Electric Matt White

400W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h 1140 \text{mm}$

MP48X1140MWELEC



All Electric Brushed Brass Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h 1140 mm$

MP48X1140FELEC




NEWAll Electric Brushed Bronze Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w 480 x h 1140mm

MP48X1140BZELEC



NEW

All Electric Slate Effect

400W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h$ 1140mm

MP48X1140TELEC



All Electric Matt Black

600W

Class 1 IPX5

Element fitted to right hand side as standard w 480 x h 1380mm

MP48X1380MBELEC



All Electric Matt White

600W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h 1380 \text{mm}$

MP48X1380MWELEC



All Electric Brushed Brass Effect

600W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h 1380 \text{mm}$

MP48X1380FELEC



NEW

All Electric Brushed Bronze Effect

600W

Class 1 IPX5

Element fitted to right hand side as standard w 480 x h 1380mm

MP48X1380BZELEC



NEW

All Electric Slate Effect

600W

Class 1 IPX5

Element fitted to right hand side as standard w $480 \times h 1380 \text{mm}$

MP48X1380TELEC

175

MPRO







NEW

Matt Black

BTU 1167 / Watts 342 Dual fuel element available w 430 x h 900mm

MP48X93MB



NEW

Matt White

BTU 1167 / Watts 342 Dual fuel element available w 430 x h 900mm

MP48X93MW



NEW Brushed Brass Effect

BTU 1167 / Watts 342 Dual fuel element available w 430 x h 900mm

MP48X93F



Brushed Bronze Effect

BTU 1167 / Watts 342 Dual fuel element available w 430 x h 900mm

MP48X93BZ

NEW



Slate Effect

BTU 1167 / Watts 342 Dual fuel element available w 430 x h 900mm

MP48X93T



Matt Black

BTU 1607 / Watts 471 Dual fuel element available w 480 x h 1140mm

MP48X1140MB



Matt White

BTU 1607 / Watts 471 Dual fuel element available w 480 x h 1140mm

MP48X1140MW



Brushed Brass Effect

BTU 1607 / Watts 471 Dual fuel element available w 480 x h 1140mm

MP48X1140F






NEW Brushed Bronze Effect

BTU 1607 / Watts 471 Dual fuel element available w 480 x h 1140mm

MP48X1140BZ



NEW

Slate Effect

BTU 1607 / Watts 471 Dual fuel element available w 480 x h 1140mm

MP48X1140T



Matt Black

BTU 1938 / Watts 568 Dual fuel element available w 480 x h 1380mm

MP48X1380MB



Matt White

BTU 1938 / Watts 568 Dual fuel element available w 480 x h 1380mm

MP48X1380MW



Brushed Brass Effect

BTU 1938 / Watts 568 Dual fuel element available w 480 x h 1380mm

MP48X1380F



NEW Brushed Bronze Effect

BTU 1938 / Watts 568 Dual fuel element available w 480 x h 1380mm

MP48X1380BZ



NEW

Slate Effect

BTU 1938 / Watts 568 Dual fuel element available w 480 x h 1380mm

MP48X1380T



Matt Black Angled TRV

RADVTRVA1B



Matt Black Corner TRV

RADVTRVC1B



Matt White Corner Valve

RADCORNERMW



Brushed Brass Effect Corner Valve

RADCORNERF



Brushed Bronze Effect Corner Valve

RADCORNERBZ



Slate Effect Corner Valve

RADCORNERT

177

WEDGE













Metallic Black

BTU 1385 / Watts 406 Dual fuel element available w 500 x h 1096mm

WD50X109MB



Kai Anthracite Angled TRV†

RADVTRVAA



Soft White Matt

BTU 1385 / Watts 406 Dual fuel element available w 500 x h 1096mm

WD50X109SW



Kai Anthracite Corner TRV†

RADVTRVCA



Pier Chrome Angled TRV†

RADVTRVA1C



Matt White Corner Valve

RADCORNERMW



Pier Chrome Corner TRV†

RADVTRVC1C

CELESTE













Metallic Black

BTU 1887 / Watts 553 Dual fuel element available w 500 x h 1100mm

CL50X111MB



Matt Black Angled TRV

RADVTRVA1B



Soft White Matt

BTU 1887 / Watts 553 Dual fuel element available w 500 x h 1100mm

CL50X111SW



Matt Black Corner TRV

RADVTRVC1B



Pier Chrome Angled TRV†

RADVTRVA1C



Matt White Corner Valve

RADCORNERMW



Round Chrome Corner Valve

RADVC1

TOWEL WARMER VALVES











These radiator valves are suitable for all Crosswater towel warmers, except for MPRO Electric models.

Thermostatic Valves



Matt Black Angled TRV

Approved to EN215

RADVTRVA1B



Matt Black Corner TRV

Approved to EN215

RADVTRVC1B



Kai Anthracite Corner TRV†

Approved to EN215

RADVTRVCA



Kai Anthracite Angled TRV†

Approved to EN215

RADVTRVAA



Pier Chrome 15mm Angled TRV†

Approved to EN215

RADVTRVA1C



Pier Chrome 15mm Straight TRV†

Approved to EN215

RADVTRVS1C



Pier Chrome 15mm Corner TRV†

Approved to EN215

RADVTRVC1C

Manual Valves



Anthracite Corner Valve

Supplied with lockshield

RADVC1A



Anthracite Angled Valve

Supplied with lockshield

RADVA1A



Square Angled Valve

Supplied with lockshield

RADVA2



Coloured Corner Valve

Supplied with lockshield

Matt White RADCORNERMW Brushed Brass Effect

RADCORNERF Brushed Bronze Effect

RADCORNERBZ

Brushed Slate Effect RADCORNERT





Round Chrome Corner Valve

Supplied with lockshield

RADVC1



Round Angled Valve Supplied with lockshield

RADVA1

SUMMER HEATING ELEMENTS



Electric Element

Supplied with T Piece IP54 rated

These elements can be used in an all electric installation, we do not offer this service.

300w **RADX350** 600w **RADX700**



NEW

Electric Element Brushed Bronze Effect

Supplied with a Pipe Masking Cover IP54 rated

These elements can be used in an all electric installation, we do not offer this service
See page 174 for other element details

400w **ELE400BZ** 600w **ELE600BZ** Also known as dual fuel or dual energy. Connected to a central heating circuit and including an electrical element that allows operation in summer months when the central heating is not in use.

All Crosswater towel rails are suitable for use with a summer heating element, except MPRO Electric models. Refer to pages 182 for wattage required per model.

Important Note

Please refer to the bathroom zone diagram when using electrical components within the bathroom environment, see page 183. The summer element is equipped with a thermal fuse that will cut out at 65°C, with a total shut down safety setting at 78°C.

These elements are suitable for all Crosswater towel warmers, where an element can be fitted. Heating elements comply with BS EN60335-2-73:2003



NEW

Electric Element Slate Effect

Supplied with a Pipe Masking Cover

These elements can be used in an all electric installation, we do not offer this service
See page 174 for other element details

400w **ELE400T** 600w **ELE600T**



NEW

Electric Element Brushed Brass Effect

Supplied with a Pipe Masking Cover IP54 rated

These elements can be used in an all electric installation, we do not offer this service
See page 174 for other element details

400w **ELE400F** 600w **ELE600F**



NEW

Electric Element Black Matt

Supplied with a Pipe Masking Cover IP54 rated

These elements can be used in an all electric installation, we do not offer this service
See page 174 for other element details

400w **ELE400MB** 600w **ELE600MB**





NEW

Electric Element White Matt

Supplied with a Pipe Masking Cover IP54 rated

These elements can be used in an all electric installation, we do not offer this service
See page 174 for other element details

400w **ELE400MW** 600w **ELE600MW**

Technical Information - Towel Warmers

Code	Finish	Height	Width (mm)	Projection	Tube (mm)	Collector	Pipe centres	Weight (kg)	Litres	BTU*	Watts	Electric Immersion
		(mm)		(mm)	,	(mm)	(mm)					Rating Watts**
LIMIT												
LI39X1200SW	Soft white	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
LI39X1200MB	Matt black	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
LI39X1200BM	Metallic black	1200	395	112-120	50x10	30x30	325	20.8	5.2	2658	779	
AIR												
AR50X1150MB	Metallic black	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1150SW	Soft white	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1150F	Brushed brass	1150	500	117-125	50x10	30x30	470	14.5	3.16	1514	444	400
AR50X1630MB	Metallic black	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
AR50X1630SW	Soft white	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
AR50X1630F	Brushed brass	1630	500	117-125	50x10	30x30	470	20.9	4.60	2197	644	600
MPRO												
MP48X93MB	Matt black	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93MW	Matt white	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93F	Brushed brass	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93BZ	Brushed bronze	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X93T	Slate	900	480	72-80	22 Ø	30x30	455	6.3	3.08	1167	342	400
MP48X1140MB	Matt black	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140MW	Matt white	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140F	Brushed brass	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140BZ	Brushed bronze	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1140T	Slate	1140	480	72-80	22 Ø	30x30	455	8.6	4.17	1607	471	400
MP48X1380MB	Matt black	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380MW	Matt white	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380F	Brushed brass	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380BZ	Brushed bronze	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MP48X1380T	Slate	1380	480	72-80	22 Ø	30x30	455	10.3	5.02	1938	565	600
MPRO ELECTRIC												
MP48X93MBELEC	Matt black	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93MWELEC	Matt white	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93FELEC	Brushed brass	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93BZELEC	Brushed bronze		480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X93TELEC	Slate	900	480	72-80	22 Ø	30x30	455	10.0	na	na	400	400
MP48X1140MBELEC	Matt black	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140MWELEC	Matt white	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140FELEC	Brushed brass	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140BZELEC	Brushed bronze		480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1140TELEC	Slate	1140	480	72-80	22 Ø	30x30	455	13.6	na	na	400	400
MP48X1380MBELEC	Matt black	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380MWELEC		1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380FELEC	Brushed brass	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380BZELEC	Brushed bronze		480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
MP48X1380TELEC	Slate	1380	480	72-80	22 Ø	30x30	455	16.4	na	na	600	600
WEDGE												
WD50X109MB	Metallic black	1096	500	70	30x30	30x40	470	9	5.21	1385	406	300
WD50X109SW	Soft white	1096	500	70	30x30	30x40	470	9	5.21	1385	406	300
CELESTE												
CL50X111MB	Metallic black	1100	500	112-120	50x10	30x30	470	20.8	4.02	1887	553	600
CL50X111SW	Soft white	1100	500	112-120	50x10	30x30	470	20.8	4.02	1887	553	600


Brushed Brass Effect, Metallic Black, Soft White & Matt Finishes Oxsilan® providing up to 65% more protection than standard zinc coating. High quality double layer Electro-static powder coating application for 100% surface coverage, massively reducing wear and tear and greater product lifetime. The most efficient heat output up to 20% higher than chrome. Self coloured metal wall fixings.

Towel Warmer projection is between 75 - 100mm. Supplied with complete wall fixings and manual air vent. Manufactured from high grade mild steel conforming to EN 10305. Geometrical and surface finish $- Round EN 10234 / EN ISO 4287, Flat Tube EN 10233 / EN ISO 4287, D Profile EN 10233 / EN ISO 4287. Fitted with 1/2" BSP connections. Tested to EN 442 \Delta T = 50K. All outputs certified to EN 442. To make$ an approximate conversion from T=50K to T=60K multiply outputs by 1.2.

^{**}Summer Heating Elements are supplied with T Piece.

Electrical Information

The diagram below is supplied as a guide to Bathroom Zones as referred to in IP ratings of the over mirror lamps and electric heating elements. Please refer to the latest edition of BS 7671:2008(2011) to ensure conformity.



It is important to install light fittings and electric Towel Warmer elements in the correct bathroom zone i.e. the zone referred to in the IP rating of the element. This is not an installation guide and reference should be made to the latest edition of the IET Wiring Regulations or a qualified electrician member of NICEIC or IET.

Zone 0 is inside the bath or shower tray itself. Any appliance used in this zone must be rated at least IP67 which is total immersion proof.

Zone 1 is the area above the bath or shower tray to a height of 2.25m from the floor. In this zone a minimum rating of IP44 is required and elements must also be protected by a 30mA residual current device (RCD) to protect the circuit. The electrical connection to the power supply for these appliances must be in Zones 2/3 of the bathroom in compliance with BS 7671:2008(2011) - IEE Wiring Regulations.

Zone 2 is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone an IP rating of at least IP44 is required. In addition it is good practice to consider the area around a washbasin, within a 60cm radius of any tap to be considered as zone 2.

Crosswater IP44 lamps come without a pull switch, and are designed to operated via an existing and suitable room light switch.

Failure to have electrical products installed and certificated by a qualified electrical engineer will invalidate any product guarantee.

For full details reference should be made to the latest copy of the IEE wiring regulations and all applicable British Standard and European norm specifications.

NOTES	

NOTES	

Product Guidelines

Product Compatibility

While the majority of Crosswater products are compatible, care should be taken on product selection before ordering to avoid installation issues. The colours and finishes reproduced in this brochure are as accurate as the photography and printing process allows but may vary from the actual colours. Product sizes stated are nominal and should be checked against product. It is strongly advised that all bathrooms are well heated and ventilated.

Installation

All furniture ranges incorporate a factory fitted hanging system that allows safe and simple installation. Please ensure the correct wall fittings are used on solid or stud walls. Some furniture products are reversible for left or right hand door opening.

When installing a wall hung toilet or basin please ensure that appropriate fixings or suitable framework are used. When purchasing a wall hung toilet or basin on its own Crosswater does not supply fixings.

We strongly recommend all furniture and ceramics are fitted to a tiled surface, not tiled up to, this will assist any future maintenance. Due to the weight of some products you must ensure that the walls you are fixing to are of a suitable construction to support the product.

Vitreous China must not be put under stress during installation, if fittings are over tightened it creates stress within the ceramic material which may in time cause the failure of the product. Waste fittings should be carefully sealed in silicone and the back nut hand tightened, one additional final quarter turn using a suitable spanner is sufficient to create the required watertight seal. Care should also be taken when fitting brassware to prevent similar stress related failures. All products should be inspected before attempting installation.

It is the responsibility of the individual installer to ensure that products are fitted correctly and in line with the recommended fitting instructions provided. Failure to do so will invalidate the guarantee.

Cleaning

All Crosswater products should be cleaned as outlined below. Never use any aggressive fluids or strong household cleaning agents e.g. bleach, caustic soda or abrasive cleaners, which could damage the product.

Furniture should be wiped cleaned with a moist soft or micro fibre cloth. Any stubborn marks can be removed with diluted mild detergent.

Mirrors, cabinets and light fittings should be cleaned with a micro fibre cloth only, do not use "glass and mirror" cleaning products.

Sanitary ware, glass basins and ceramics should be cleaned after use by applying a little cream-type cleaner using a sponge or damp cloth and rinsed thoroughly with clean water. In hard water areas a good quality limescale remover can be applied.

Toilet seats should only be cleaned using a diluted mild detergent or warm soapy water; products containing bleach can lead to staining. Toilet seat hinges should be cleaned using a moist soft or micro fibre cloth. Any stubborn marks can be removed with diluted mild detergent.

Cast mineral resin basins should be cleaned using a diluted mild detergent or warm non-abrasive soapy water; in hard water areas a good quality limescale remover can be applied. Accidental spillages of household chemicals, nail polish or hair dye should be removed immediately by cleaning the surface with warm soapy water and then wiped dry.

Towel Warmers should be cleaned when cold with a moist soft or micro fibre cloth. Any stubborn surface or oxidation marks can be cleaned with Maas® Metal Polishing Crème, that will leave a long-lasting, fingerprint repelling protective finish.

Product Guarantee

All Crosswater products carry a comprehensive guaranteed for complete peace of mind.

All Crosswater guarantees are subject to online registration.

To register and activate your guarantee or for full details of all Crosswater guarantees, please visit www.crosswater.co.uk

Crosswater guarantees do not affect your statutory rights.

For further advice visit www.crosswater.co.uk



Find a local bathroom specialist at www.crosswater.co.uk

Expertise, design & aftercare

Specialist bathroom retailers can offer expert assistance with your bathroom design, providing full 3D plans to help you visualise and create your own perfect bathroom space. Once your bathroom is installed, they can offer a personal point of contact for any after sales support you may need, delivering complete peace of mind.

Experience the products

The purchase process is an emotional one. Specialist showrooms allow you to touch and feel a wide variety of bathroom products in relaxed surroundings while gaining inspiration from knowledgeable professionals who will explain the benefits of each product and make recommendations that match your personal preferences.



